

Specifications & Drive Belt Routing - Aztek & Rendezvous

IDENTIFICATION

MODEL IDENTIFICATION

Series ⁽¹⁾	Model
"B"	Aztek & Rendezvous
(1) Vehicle series is fifth character of VIN.	

ADJUSTMENTS

CAUTION: When battery is disconnected, vehicle computer and memory systems may lose memory data. Driveability problems may exist until computer systems have completed a relearn cycle. See appropriate **COMPUTER RELEARN PROCEDURES** article in **GENERAL INFORMATION** before disconnecting battery.


BELT ADJUSTMENT

Application	Specification
Serpentine Belt	(1)
(1) Serpentine belt tension is maintained automatically by a spring-tensioned idler pulley. No adjustment is necessary.	

DRIVE BELT ROUTING & ALIGNMENT

NOTE: For serpentine belt routing, see underhood label or refer to appropriate illustrations. See [Fig. 1](#) or [Fig. 2](#) .


AZTEK & RENDEZVOUS (3.4L)



G00021035

Fig. 1: Serpentine Belt Routing (3.4L Aztek & Rendezvous)
Courtesy of GENERAL MOTORS CORP.

RENDEZVOUS (3.6L)



G00321453

Fig. 2: Serpentine Belt Routing (3.6L Rendezvous)
Courtesy of GENERAL MOTORS CORP.

COOLING SYSTEM SPECIFICATIONS

NOTE: For engine cooling system specifications, see appropriate SPECIFICATIONS article in GENERAL INFORMATION.