

Wiring Systems and Power Management - Component Locator - Electrical Center Identification Views - Acadia, Enclave And Traverse

X50A FUSE BLOCK - UNDERHOOD LABEL



X50A FUSE BLOCK - UNDERHOOD TOP VIEW

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification Views - Acadia, Enclave And Traverse



No.	Device Label Name	Device Assigned Name	Rating	Description
Fuses				
-	ABS MTR Fuse	-	25A	K17 Electronic Brake Control Module
-	ABS MTR Fuse	-	40A	K17 Electronic Brake Control Module
-	A/C CLTCH Fuse	-	10A	KR 29 A/C Compressor Clutch Relay
-	AFS Fuse	-	15A	K26 Headlamp Control Module
-	AIRBAG Fuse	-	10A	P14 Passenger Air Bag Disable Indicator, K36 Inflatable Restraint Sensing and Diagnostic Module and P16 Instrument Cluster
-	AUX POWER Fuse	-	20A	X80H Accessory Power Receptacle - Center Console
-	AUX VAC PUMP Fuse	-	20A	KR14 Brake Booster Pump Motor Relay

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

-	AWD Fuse	-	15A	K47 Rear Differential Clutch Control Module
-	BATT 1 Fuse	-	50A	AIRBAG, AMP, BCM, CNSTR/VENT, CSTY, DISPLAY, INADV/PWR/LED, INFOTAINMENT, MSM, POWER MOD and RADIO Fuses
-	BATT 2 Fuse	-	50A	BCK/UP/STOP, HTD/SEAT, LT/TRN/SIG, PDM, PWR/MIRRORS and RT/TRN/SIG Fuses, LT/PWR/SEAT, PWR/COLUMN and RT/PWR/SEAT Circuit Breakers
-	BATT 3 Fuse	-	50A	DRL, DRL 2, DR/LCK, HVAC and REAR WIPER Fuses, PWR/WNDW Circuit Breaker, KR11 Windshield Washer Pump Relay
-	CIGAR LIGHTER Fuse	-	20A	X80G Accessory Power Receptacle - Instrument Panel
-	ECM Fuse	-	15A	K20 Engine Control Module
-	ECM 1 Fuse	-	15A	K20 Engine Control Module
-	EMISSION 1 Fuse	-	15A	Q12 Evaporative Emission Purge Solenoid Valve, B52C Heated Oxygen Sensor - Bank 1 Sensor 1 and B52E Heated Oxygen Sensor - Bank 2 Sensor 1
-	EMISSION 2 Fuse	-	15A	Q2 A/C Compressor Clutch, KR20J Cooling Fan Left High Speed Relay, KR20E Cooling Fan Speed Control Relay and KR20K Cooling Fan Right High Speed Relay, B52D Heated Oxygen Sensor - Bank 1 Sensor 2, B52F Heated Oxygen Sensor - Bank 2 Sensor 2 and B75B Mass Air Flow/Intake Air Temperature Sensor
-	EVEN COILS Fuse	-	15A	K20 Engine Control Module, Q17B Fuel Injector 2, Q17D Fuel Injector 4, Q17F Fuel Injector 6, T8B Ignition Coil 2, T8D Ignition Coil 4, T8F Ignition Coil 6
-	FAN 1 Fuse	-	30A	KR20J Cooling Fan Left High Speed Relay
-	FAN 2 Fuse	-	40A	KR20K Cooling Fan Right High Speed Relay

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

-	FOG LAMP Fuse	-	15A	KR46 Front Fog Lamp Relay
-	FSCM Fuse	-	25A	K38 Chassis Control Module
-	HORN Fuse	-	15A	KR3 Horn Relay
-	HTD MIR Fuse	-	10A	A9A Outside Rearview Mirror - Driver and A9B Outside Rearview Mirror - Passenger
-	HVAC BLWR Fuse	-	40A	K8 Blower Motor Control Module
-	LT HI BEAM Fuse	-	10A	E4E Headlamp - Left High Beam (without W49 or TVD) or E4F Headlamp - Left High Beam Solenoid (W49 or TVD)
-	LT LO BEAM Fuse	-	15A/20A	E13L Headlamp - Left (W49 or TVD) or E4G Headlamp - Left Low Beam (without W49 or TVD)
-	LT PRK Fuse	-	10A	E2LR Side Marker Lamp - Left Rear (W49 or X88), E7L License Plate Lamp - Left, E7R License Plate Lamp - Right, E5E Tail Lamp - Left (W49 or Z88), E5F Tail Lamp - Right (W49 or Z88), E2LF Side Marker Lamp - Left Front, E5S Tail/Stop and Turn Signal Lamp - Left (W49 or X88)
-	LT TRLR STOP/TRN Fuse	-	10A	X88 Trailer Connector
-	ODD COILS Fuse	-	15A	Engine Control Module (ECM), Fuel Injectors 1, 3, 5 and Ignition Coils 1, 3, 5
-	PCM IGN Fuse	-	10A	K20 Engine Control Module
-	PWR L/GATE Fuse	-	30A	K39 Liftgate Module (TB5)
-	PWR OUTLET Fuse	-	25A	T1 Accessory DC/AC Power Inverter Module
-	RR APO Fuse	-	20A	X80L Accessory Power Receptacle - Rear Console and X80R Accessory Power Receptacle - Rear Compartment
-	REAR CAMERA Fuse	-	10A	B87 Rearview Camera
-	RR DEFOG Fuse	-	40A	KR5 Rear Defogger Relay
-	RR HVAC Fuse	-	30A	K8A Blower Motor Control Module - Auxiliary
-	RT HI BEAM Fuse	-	10A	E4F Headlamp - Right High Beam (without W49 or TVD) or M28R High Beam Solenoid Actuator - Right (W49 or TVD)
				E13R Headlamp - Right (W49 or

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

-	RT LO BEAM Fuse	-	10A/20A	TVD) or E4H Headlamp - Right Low Beam (without W49 or TVD)
-	RT PRK Fuse	-	10A	E2RF Side Marker Lamp - Right Front, E2RR Marker Lamp - Right Rear (W49 or WDA or X88), E5F Tail Lamp - Right (Z88) or E5T Tail/Stop and Turn Signal Lamp - Right (W49 or X88)
-	RT TRLR STOP/TRN Fuse	-	10A	X88 Trailer Connector
-	RVC SNSR Fuse	-	10A	K9 Body Control Module
-	S/ROOF/SUNSHADE Fuse	-	30A	K61 Sunroof Control Module (C3U)
-	STOP LAMP Fuse	-	10A	KR59 Stop Lamp Relay (W49 with T89)
-	STRTR Fuse	-	40A	CRNK Relay
-	TCM Fuse	-	15A	Automatic Transmission
-	TRANS Fuse	-	10A	T12 Automatic Transmission Assembly
-	TRLR BCK UP Fuse	-	10A	X88 Trailer Connector (V92)
-	TRLR BRK Fuse	-	30A	W8 Blunt Cut - Trailer Provision
-	TRLR PWR Fuse	-	30A	X88 Trailer Connector (V92)
-	TRLR PRK LAMP Fuse	-	10A	X88 Trailer Connector
-	WPR/WSW Fuse	-	25A	KR12B Windshield Wiper Relay and KR12C Windshield Wiper Speed Control Relay
-	Spare Fuse	-	10A	Not Used
-	Spare Fuse	-	15A	Not Used
-	Spare Fuse	-	20A	Not Used
-	Spare Fuse	-	25A	Not Used
-	Spare Fuse	-	30A	Not Used
Relays				
-	A/C Compressor Clutch Relay	KR29 A/C Compressor Clutch Relay	-	Q2 A/C Compressor Clutch
-	Brake Booster Pump Relay	KR14 Brake Booster Pump Motor Relay	-	G6 Brake Booster Pump - Auxiliary
-	CRNK Relay	KR27 Starter Relay	-	M64 Starter Motor
-	Cooling Fan Left High Speed Relay	KR20J Cooling Fan Left High Speed Relay	-	G10L Cooling Fan Motor - Left
		KR20E Cooling Fan		

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

-	Cooling Fan Speed Control Relay	Speed Control Relay	-	G10R Cooling Fan Motor - Right
-	Cooling Fan Right High Speed Relay	KR20K Cooling Fan Right High Speed Relay	-	G10R Cooling Fan Motor - Right
-	Front Fog Lamp Relay	KR46 Front Fog Lamp Relay	-	E29LF Fog Lamp - Left Front and E29RF Fog Lamp - Right Front
-	Headlamp High Beam Relay	KR48 Headlamp High Beam Relay	-	LT HI BEAM and RT HI BEAM Fuses
-	Headlamp Low Beam Relay	KR49 Headlamp Low Beam Relay	-	LT LO BEAM and RT LO BEAM Fuses
-	Horn Relay	KR3 Horn Relay	-	P12A Horn - High Note and P12B Horn - Low Note
-	Ignition Main Relay	KR73 Ignition Main Relay	-	AIRBAG, PCM IGN, REAR CAMERA and TRANS Fuses
-	Trailer Stop/Turn Signal Lamp Relay - Left	KR63L Trailer Stop/Turn Signal Lamp Relay - Left	-	LT TRLR STOP/TRN Fuse
-	Park Lamp Relay	KR53 Park Lamps Relay	-	LT PRK, RT PRK and TRLR PRK LAMP Fuses
-	Powertrain Relay	KR75 Engine Controls Ignition Relay	-	ECM 1, EMISSION 1, EMISSION 2, EVEN COILS and ODD COILS Fuses
-	Rear Window Defogger Relay	KR5 Rear Defogger Relay	-	HTD MIR Fuse and E18 Rear Defogger Grid
-	Trailer Stop/Turn Signal Lamp Relay - Right	KR63R Trailer Stop/Turn Signal Lamp Relay - Right	-	RT TRLR STOP/TRN Fuse
-	Stop Lamp Relay	KR59 Stop Lamp Relay	-	E6 Center High Mounted Stop Lamp, E5S Tail/Stop and Turn Signal Lamp - Left and E5T Tail/Stop and Turn Signal Lamp - Right (W49 with T89)
-	Trailer Backup Lamp Relay	KR61 Trailer Backup Lamps Relay	-	TRLR BCK UP Fuse
-	Windshield Wiper Wpeed	KR12C Windshield Wiper Speed	-	

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

-	Control Relay	Control Relay	-	M75 Windshield Wiper Motor
		KR12B Windshield Wiper Relay		
-	Windshield Wiper Relay	Windshield Wiper Relay	-	M75 Windshield Wiper Motor

X50A FUSE BLOCK - UNDERHOOD BOTTOM VIEW





Fig. 3: Bottom View Of Underhood Fuse Block
Courtesy of GENERAL MOTORS COMPANY

X50A FUSE BLOCK - UNDERHOOD X1



2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse



Connector Part Information

- Harness Type: Forward Lamp
- OEM Connector: 7283-9458-30
- Service Connector: 19153183
- Description: 32-Way F YESC Kaizen Series (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	13575289	J-35616-42 (RD)	J-38125-11A	7116-4122-02	10	A	B
II	13575312	J-35616-2A (GY)	J-38125-11A	7116-4101-08	9	E	A
III	13575848	J-35616-2A (GY)	J-38125-11A	7116-4100-08	9	E	C
IV	Service by Harness - See Part Catalog	J-35616-2A (GY)	J-38125-11A	7116-4101-08	9	E	A
V	13587517	J-35616-42 (RD)	J-38125-11A	7116-4121-02	10	C	B

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

X50A Fuse Block - Underhood X1

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	3	WH	504	Left Cooling Fan Motor High Control	I	-
2-3	-	-	-	Not Occupied	-	-
4	3	BK	1250	Ground	I	-
5	0.5 0.5 0.35	D-GN/WH YE D-BU	711 712 5364	Left Headlamp High Beam Supply Voltage Left Headlamp Low Beam Supply Voltage Left DRL/Turn Voltage	III	Z88 without TVD X88 Z88 with TVD
6	0.5 0.5	PU BN/WH	309 309	Right Park Lamp Voltage Right Park Lamp Voltage	III	TSH X88 or W49 without CZ2
7	0.5	OG	228	Windshield Washer Pump Control	III	-
8	0.35	PU	5531	Hood Closed Switch Signal	III	BTB
9	0.5	PU	34	Front Fog Lamp Supply Voltage	II	Z88 with T96
10	0.5 0.5 0.35	D-GN/WH PU D-GN	312 34 5365	Right Headlamp Low Beam Supply Voltage Front Fog Lamp Voltage Right Front Turn/DRL Supply Voltage	II	X88 T96 with TVD T96 without TVD
11	0.5 0.5	PK PU	1200 34	Headlamp High Beam Signal Front Fog Lamp Voltage	III	Z88 without TVD X88 with T96
12-13	-	-	-	Not Occupied	-	-
14	0.5	D-GN/WH	711	Left Headlamp High Beam Voltage	III	without CZ2
15	1	D-BU/WH	1315	Right Turn Signal Indicator Lamp Voltage	IV	without CZ2
16	1	L-BU/WH	1314	Left Turn Signal Indicator Lamp Voltage	IV	without CZ2
17	0.35	PK/BK	109	Hood Ajar Switch Signal	III	BTB
18	0.35	TN	185	Low Washer Fluid Indicator Control	III	-
19	0.5	PU	709	Left Park Lamp Voltage	III	without CZ2
20	0.5 0.35 0.35 0.35	D-GN TN/WH PU L-GN/BK	5365 312 359 311	DRL voltage Right Headlamp Low Beam Supply Voltage DRL voltage Right Headlamp High Beam Supply Voltage	III	Z88 with TVD X88 W49 without CZ2 without W49 or TVD

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse


21	1 0.5	TN/WH TN/WH	312 312	Right Headlamp Low Beam Voltage Right Headlamp Low Beam Voltage	IV	TVD or W49 without CZ2 without W49 or TVD
22	0.35 0.5	D-BU YE	5364 712	Left Front Turn/DRL Supply Voltage Left Headlamp Low Beam Voltage	III	Z88 without TVD X88 or TVD or W49 without CZ2
23	0.5	L-GN/BK	311	Right Headlamp High Beam Voltage	III	without CZ2
24	-	-	-	Not Occupied	-	-
25	0.8	D-GN	392	Rear Window Washer Pump Control	II	-
26	-	-	-	Not Occupied	-	-
27	0.8	D-GN	1329	Horn Voltage	II	-
28	-	-	-	Not Occupied	-	-
29	3	GY	532	Left Cooling Fan Motor Low Control	I	-
30	-	-	-	Not Occupied	-	-
31	2	RD/BK	1342	Battery Positive Voltage	V	TB5
32	3	L-BU	409	Right Cooling Fan Motor High Control	I	-

X50A FUSE BLOCK - UNDERHOOD X2



2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse



Connector Part Information

- Harness Type: Body
- OEM Connector: 7283-9464-3W
- Service Connector: 19153184
- Description: 84-Way F YESC Kaizen Series (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	13575294	J-35616-35 (VT)	J-38125-11A	7116-4111-02	9	E	A
II	13575836	J-35616-4A (PU)	J-38125-11A	7116-4110-02	9	E	C
III	13575838	J-35616-35 (VT)	J-38125-11A	7116-4111-02	9	E	A
IV	13575848	J-35616-2A (GY)	J-38125-11A	7116-4100-08	9	E	C
V	13575850	J-35616-2A (GY)	J-38125-11A	7116-4100-08	9	E	C
VI	13575312	J-35616-2A (GY)	J-38125-11A	7116-4101-08	9	E	A

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

VII	13575289	J-35616-42 (RD)	J-38125- 11A	7116-4122- 02	10	A	B
VIII	13575290	J-35616-42 (RD)	J-38125- 11A	7116-4122- 02	10	D	G
IX	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
X	13575295	J-35616-35 (VT)	J-38125- 11A	7116-4112- 02	9	C	D
XI	13587517	J-35616-42 (RD)	J-38125- 11A	7116-4121- 02	10	C	B

X50A Fuse Block - Underhood X2

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1-4	-	-	-	Not Occupied	-	-
5	3	RD/BK	442	Battery Positive Voltage	VII	-
6	5	RD/BK	642	Battery Positive Voltage	VIII	-
7	5	RD/BK	842	Battery Positive Voltage	VIII	-
8	5	PU	293	Rear Defog Element Voltage	VIII	-
9	2	RD/WH	3440	Battery Positive Voltage	XI	C3U
10-12	-	-	-	Not Occupied	-	-
13	0.8 0.5 0.8	L-BU PU L-BU	1320 34 20	CHMSL Supply Voltage Front Fog Lamp Supply Voltage Stop Lamp Supply Voltage	I	T89 Z88 without TVD X88
14	1	OG	1470	Brake Booster Pump Motor Voltage	III	-
15	0.35	WH	1080	Park Lamp Relay Control	IV	-
16	-	-	-	Not Occupied	-	-
17	0.5	BN	2109	Trailer Park Lamps Voltage	IV	-
18-22	-	-	-	Not Occupied	-	-
23	0.5	PU	709	Left Park Lamp Voltage	V	-
24	0.5	D-BU/WH	1315	Right Turn Signal Indicator Lamp Voltage	V	-
25	0.35	PK	239	Ignition Voltage	V	UVD
26	0.35 0.35 0.35	PK/BK D-GN/WH PU	1970 1317 544	Headlamp Low Beam Relay Control Fog Lamp Relay Control DRL Relay Control	IV	X88 Z88 with TVD) Z88 without TVD
27	0.35 0.35	PK/WH PK/WH	1970 1970	Headlamp Low Beam Relay Control Headlamp Low Beam Relay	VI	X88 or W49 or TVD X88

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

	0.35	D-BU	545	Control DRL Relay Control		Z88 without TVD
28	0.35	TN/WH	1969	Headlamp Relay Control	IV	-
29	0.5	PK	1139	Ignition Voltage	IV	-
30	-	-	-	Not Occupied	-	-
31	0.5 0.5	WH WH	17 17	Stop Lamp Voltage Stop Lamp Voltage	IV	- -
32	0.5	PU	34	Front Fog Lamp Supply Voltage	IV	Z88 without TVD
33-37	-	-	-	Not Occupied	-	-
38	0.35	PU	5531	Hood Closed Switch Signal	IV	BTV
39	0.35	TN	28	Horn Relay Control	IV	-
40	0.5 0.5	PK PU	1200 34	Headlamp High Beam Signal Front Fog Lamp Supply Voltage	IV	Z88 without TVD X88 with T96
41	0.35	TN	185	Low Washer Fluid Indicator Control	IV	-
42	0.5	OG	2267	Mirror Heating Element Voltage	VI	DS3
43	0.35	D-BU	5985	Ignition Voltage	IV	-
44	0.35	PK	1439	Ignition Voltage	IV	-
45	0.5	YE	5187	Right Trailer Turn Signal Lamp	IV	-
46	0.5	YE	1618	Stop Lamp Voltage	IV	-
47	0.35 0.35	L-GN L-BU	526 20	Stop Lamp Switch Signal Stop Lamp Supply Voltage	IV	X88 or Z88 without TVD T89
48	0.35	GY	91	Windshield Wiper Switch Signal 2	IV	-
49-51	-	-	-	Not Occupied	-	-
52	0.5	OG	228	Windshield Washer Pump Control	IV	-
53	1	L-BU/WH	1314	Left Turn Signal Indicator Lamp Voltage	V	-
54	0.5	L-GN	1624	Trailer Backup Lamps Voltage	IV	-
55	0.35	PK/BK	109	Hood Ajar Switch Signal	IV	BTV
56	0.35	WH	193	Rear Defog Relay Control	IV	-
57	0.5	RD/WH	1740	Battery Positive Voltage	IV	MH6
58	0.35	WH	1310	EVAP Canister Vent Solenoid Control	IV	-
59	0.5	D-GN	1619	Stop Lamp Voltage	IV	-
60	0.5	OG	5186	Left Trailer Turn Signal Lamp	IV	-
61	-	-	-	Not Occupied	-	-
62	0.35	RD/WH	2440	Battery Positive Voltage	IV	-

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse


63-64	-	-	-	Not Occupied	-	-
65	0.5	BN/WH	309	Right Park Lamp Voltage	IV	-
66	0.5 0.35	YE D-BU	712 5364	Left Headlamp Low Beam Supply Voltage Left DRL/Turn Voltage	IV	Z88 without TVD X88 or Z88 with TVD
67	0.8	D-GN	392	Rear Window Washer Pump Control	VI	-
68	0.35	L-GN	24	Back-up Lamp Relay Control	V	-
69	0.5 0.5 0.5	PU TN/WH D-GN	359 312 5365	DRL Voltage Right Headlamp Low Beam Supply Voltage Right Front Turn/DRL Supply Voltage	IV	W49 Z88 without TVD X88 or Z88 with TVD
70	0.35	TN	860	Front Windshield Wiper Switch High Signal	IV	-
71	-	-	-	Not Occupied	-	-
72	1	RD/WH	1540	Battery Positive Voltage	IX	-
73	2	RD/WH	2640	Battery Positive Voltage	X	-
74	-	-	-	Not Occupied	-	-
75	2	RD/BK	1042	Battery Positive Voltage	XI	-
76	2	RD/BK	542	Battery Positive Voltage	XI	-
77	-	-	-	Not Occupied	-	-
78	3	RD/WH	2940	Battery Positive Voltage	VII	-
79	-	-	-	Not Occupied	-	-
80	5	RD/BK	242	Battery Positive Voltage	VIII	-
81	1	RD/WH	2540	Battery Positive Voltage	III	-
82	3	RD/WH	2740	Battery Positive Voltage	III	KV1
83	-	-	-	Not Occupied	-	-
84	1	RD/WH	140	Battery Positive Voltage	III	-

X50A FUSE BLOCK - UNDERHOOD X3



2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse



Connector Part Information

- Harness Type: Engine
- OEM Connector: 7283-9457-3W
- Service Connector: 19153182
- Description: 54-Way F YESC Kaizen Series (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	13575848	J-35616-2A (GY)	J-38125-11A	7116-4100-08	9	E	C
II	13575850	J-35616-2A (GY)	J-38125-11A	7116-4101-08	9	E	A
III	13575295	J-35616-35 (VT)	J-38125-11A	7116-4112-02	9	C	D
IV	13575838	J-35616-35 (VT)	J-38125-11A	7116-4111-02	9	C	A
V	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
VI	13575312	J-35616-2A (GY)	J-38125-11A	7116-4101-08	9	E	A

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

VII	13575289	J-35616-42 (RD)	J-38125- 11A	7116-4122- 02	10	A	B
-----	----------	--------------------	-----------------	------------------	----	---	---

X50A Fuse Block - Underhood X3


Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	PK/BK	5294	Ignition I Voltage	I	-
2	-	-	-	Not Occupied	-	-
3	0.5	YE	447	Starter Relay Coil Control	I	-
4	-	-	-	Not Occupied	-	-
5	0.5	D-BU	473	High Speed Cooling Fan Relay Control	I	-
6	-	-	-	Not Occupied	-	-
7	0.5	PK/BK	5294	Powertrain Main Relay Fused Supply (5)	I	-
8	3	RD/BK	142	Battery Positive Voltage	VII	-
9	3	PU	6	Starter Solenoid Crank Voltage	VII	-
10	-	-	-	Not Occupied	-	-
11	0.5	PK/BK	5294	Ignition I Voltage	I	-
12	-	-	-	Not Occupied	-	-
13	0.5	D-GN	335	Low Speed Cooling Fan Relay Control	I	-
14	-	-	-	Not Occupied	-	-
15	0.5	WH	1310	EVAP Canister Vent Solenoid Control	I	-
16-17	-	-	-	Not Occupied	-	-
18	0.5	PK	439	Ignition Voltage	II	-
19	0.5	D-GN	59	A/C Compressor Clutch Voltage	I	-
20	2	RD/WH	3540	Battery Positive Voltage	III	-
21	1	D-GN	95	Windshield Wiper Park	IV	-
22-23	-	-	-	Not Occupied	-	-
24	0.5	D-BU	5985	Ignition Voltage	I	-
25	-	-	-	Not Occupied	-	-
26	0.8	PK/BK	5290	Ignition I Voltage	II	-
27	-	-	-	Not Occupied	-	-
28	0.5	BN	7448	Vacuum Assist Pump Relay Coil Control	I	-
29	0.5	D-GN/WH	459	A/C Compressor Clutch Relay Control	I	-
30	0.5	PK/BK	5293	Ignition I Voltage	V	-
31	-	-	-	Not Occupied	-	-
32	0.8	RD/WH	3640	Battery Positive Voltage	VI	-

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

33	-	-	-	Not Occupied	-	-
34	0.5	WH	17	Stop Lamp Voltage	I	-
35	-	-	-	Not Occupied	-	-
36	0.5	D-BU	5985	Ignition Voltage	I	-
37	-	-	-	Not Occupied	-	-
38	0.5	PK	1339	Ignition Voltage	I	-
39-41	-	-	-	Not Occupied	-	-
42	0.5	RD/WH	4440	Battery Positive Voltage	I	TSH
43	1	PU	92	Windshield Wiper Motor High Speed	IV	-
44	-	-	-	Not Occupied	-	-
45	0.5	BK/WH	451	Ground	I	-
46	1	BK	1650	Ground	II	-
47	1	PK/BK	5292	Ignition 1 Voltage	II	-
48	-	-	-	Not Occupied	-	-
49	0.5	YE	5991	Powertrain Relay Coil Control	I	-
50	-	-	-	Not Occupied	-	-
51	1	PK/BK	5291	Ignition 1 Voltage	II	-
52-54	-	-	-	Not Occupied	-	-

X50A FUSE BLOCK - UNDERHOOD X4 (BATTERY POSITIVE CABLE)



2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

Connector Part Information

- Harness Type: Battery Positive Cable
- OEM Connector: 7003-6115-02
- Service Connector: Service by Harness - See Part Catalog
- Description: 1-Way Ring Terminal (NA)


Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	Not Available	No Tool Required	No Tool Required	Not Available	Not Available	Not Available	Not Available

X50A Fuse Block - Underhood X4 (Battery Positive Cable)

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
+	40	RD	1	Battery Positive Voltage	I	-

X50A FUSE BLOCK - UNDERHOOD X4 (BATTERY POSITIVE JUNCTION BLOCK)



Connector Part Information

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

- Harness Type: Battery Positive Junction Block
- OEM Connector: 7003-6116-02
- Service Connector: Service by Harness - See Part Catalog
- Description: 1-Way Ring Terminal (NA)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	Not Available	No Tool Required	No Tool Required	Not Available	Not Available	Not Available	Not Available

X50A Fuse Block - Underhood X4 (Battery Positive Junction Block)

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
+	19	RD	2	Battery Positive Voltage	I	-
	32	RD	1	Battery Positive Voltage	I	-

X51A FUSE BLOCK - INSTRUMENT PANEL TOP DEVICE LAYOUT




Fig. 4: Identifying Top I/P Fuse Block

Courtesy of GENERAL MOTORS COMPANY

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

X51A FUSE BLOCK - INSTRUMENT PANEL TOP VIEW




Fig. 5: Identifying I/P Fuse Block Top View
Courtesy of GENERAL MOTORS COMPANY

Fuse Block - I/P Top Usage

No.	Device Label Name	Device Assigned Name	Rating	Description
Fuses				
-	LT/PWR/SEAT Circuit Breaker	-	25A	K40 Seat Memory Control Module (AG3), S64D Seat Adjuster Switch - Driver (AG1 or AH5), S65D Seat Lumbar Support Switch - Driver (AH5)
-	PWR/COLUMN Circuit Breaker	-	25A	K40 Seat Memory Control Module (N38)
-	PWR/WNDW Circuit Breaker	-	25A	M74D Window Motor - Driver (AXE), M74P Window Motor - Passenger (AXE), S79D Window Switch - Driver (without AXE), S79LR Window Switch - Left Rear, S79P Window Switch - Passenger (without AXE), S79RR Window Switch - Right Rear
	RT/PWR/SEAT Circuit			S64P Seat Adjuster Switch - Passenger (AAQ or AG2), S65P Seat Lumbar

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

-	Breaker	-	25A	Switch - Passenger (AAQ)
Relays				
-	Daytime Running Lamp Relay	KR42 Daytime Running Lamps Relay	-	E4C Daytime Running Lamp - Left and E4D Daytime Running Lamp - Right (T61)
-	Daytime Running Lamp Relay - Left	KR42L Daytime Running Lamp Relay - Left	-	E4C Daytime Running Lamp - Left (Z88 with TVD)
-	Windshield Washer Pump Relay	KR11 Windshield Washer Pump Relay	-	FRT/WSW Fuse
-	Door Lock Relay	KR97 Door Lock Relay	-	A23D Door Latch Assembly - Driver (without AXE), A23LR Door Latch Assembly - Left Rear, A23P Door Latch Assembly - Passenger (without AXE) and A23RR Door Latch Assembly - Right Rear
-	Liftgate Release Relay	KR95A Liftgate Unlatch Relay	-	A23C Liftgate Latch Assembly (TB4)
-	Driver Door Unlatch Relay	KR92D Driver Door Unlatch Relay	-	A23D Door Latch Assembly - Driver (without AXE)
-	Rear Window Washer Pump Relay	KR6 Rear Window Washer Pump Relay	-	G19 Rear Window Washer Pump
-	Door Unlock Relay	KR90 Door Unlock Relay	-	A23LR Door Latch Assembly - Left Rear, A23P Door Latch Assembly - Passenger (without AXE) and A23RR Door Latch Assembly - Right Rear

X51A FUSE BLOCK - INSTRUMENT PANEL BOTTOM LABEL

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification Views - Acadia, Enclave And Traverse



Fig. 6: View Of Bottom I/P Fuse Block Label
Courtesy of GENERAL MOTORS COMPANY

X51A FUSE BLOCK - INSTRUMENT PANEL BOTTOM VIEW

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification Views - Acadia, Enclave And Traverse




Fig. 7: View Of Bottom I/P Fuse Block
Courtesy of GENERAL MOTORS COMPANY

Fuse Block- I/P Bottom Usage

No.	Device Label Name	Device Assigned Name	Rating	Description
-	AIRBAG	-	10A	B60 Passenger Presence Sensor, K36 Inflatable Restraint Sensing and Diagnostic Module
-	AMP	-	30A	T3 Audio Amplifier (UQA or UQS)
-	BCK/UP/STOP	-	15A	K9 Body Control Module, S71 Steering Column Tilt and Telescope Switch (N38)
-	BCM	-	10A	K9 Body Control Module
-	CNSTR/VENT	-	10A	Q13 Evaporative Emission Vent Solenoid Valve
-	CTSY	-	15A	K9 Body Control Module
-	DSPLY	-	10A	P6 Clock (W49), X84 Data Link Connector, P16 Instrument Cluster, K39 Liftgate Control Module (TB5), K77 Remote Control Door Lock Receiver
-	DRL	-	15A/10A	KR42 Daytime Running Lamps Relay

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse


-	DRL 2	-	10A	KR42L Daytime Running Lamp Relay - Left (Z88 with TVD)
-	DR/LCK	-	25A	KR97 Door Lock Relay, KR92D Driver Door Unlatch Relay, KR90 Door Unlock Relay
-	FRT/WSW	-	10A	G24 Windshield Washer Pump
-	HTD/COOL SEAT	-	30A	K29D Seat Heating Control Module - Driver (KA1 without A45) or K53D Seat Blower Assembly - Driver Back, K55D Seat Blower Assembly - Driver Cushion, K53P Seat Blower Assembly - Passenger Back and K55P Seat Blower Assembly - Passenger Cushion (KB6)
-	HVAC	-	15A	K9 Body Control Module, P29 Head-Up Display (UV6), K33 HVAC Control Module
-	INADV/PWR/LED	-	10A	K9 Body Control Module
-	INFOTMNT	-	10A	A12 Digital Radio Receiver Control Module (U2K or UBS), P23 Video Display (U42), A21 Radio/HVAC Controls - Auxiliary (ULD)
-	LT/TRN/SIG	-	15A	K9 Body Control Module
-	MSM	-	10A	S25 Garage Door Opener (UG1), K40 Seat Memory Control Module (AG3) and K41 Front and Rear Parking Assist Control Module (UD7)
-	PDM	-	15A	K95A Liftgate Unlatch Relay (TB4)
-	PWR/MIR	-	2A	S52 Outside Rearview Mirror Switch (DL6 or DS3)
-	PWR MODE	-	2A	S39 Ignition Switch, K64 Content Theft Deterrent Control Module
-	RDO	-	15A	A11 Radio
-	REAR WPR	-	20A	M45 Rear Wiper Motor, KR6 Rear Window Washer Pump Relay
-	RR FOG	-	10A	KR57 Rear Fog Lamp Relay (W49 with T79)
-	RT/TRN/SIG	-	15A	K9 Body Control Module
-	STR/WHL/ILLUM	-	2A	S70L Steering Wheel Controls Switch - Left, S70R Steering Wheel Controls Switch - Right (UK3)

X51A FUSE BLOCK - INSTRUMENT PANEL X1

--

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse



Connector Part Information

- Harness Type: Body
- OEM Connector: 7287-2994-3W
- Service Connector: 13504281
- Description: 84-Way F YESC Kaizen Series (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	13575836	J-35616-4A (PU)	J-38125-11A	7116-4110-02	9	E	C
II	13575295	J-35616-35 (VT)	J-38125-11A	7116-4112-02	9	C	D
III	13575838	J-35616-35 (VT)	J-38125-11A	7116-4111-02	9	C	A
IV	13575312	J-35616-2A (GY)	J-38125-11A	7116-4101-08	9	E	A
V	13575848	J-35616-2A (GY)	J-38125-11A	7116-4100-08	9	E	C
VI	13575850	J-35616-2A (GY)	J-38125-11A	7116-4101-08	9	E	A

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

VII	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
VIII	13575287	J-35616-35 (VT)	J-38125-11A	Not Available	Not Available	Not Available	Not Available
IX	13575290	J-35616-42 (RD)	J-38125-11A	7116-4122-02	10	D	G
X	13575850	J-35616-2A (GY)	J-38125-11A	7116-4100-08	9	E	C
XI	13575289	J-35616-42 (RD)	J-38125-11A	7116-4122-02	10	A	B
XII	13587517	J-35616-42 (RD)	J-38125-11A	7116-4121-02	10	C	B

X51A Fuse Block - Instrument Panel X1

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	-	-	-	Not Occupied	-	-
2	2	RD/WH	2040	Battery Positive Voltage	II	UQA or UQS
3	3	RD/WH	640	Battery Positive Voltage	VIII	KA1 or KB6
4	-	-	-	Not Occupied	-	-
5	5	RD/BK	842	Battery Positive Voltage	IX	-
6	5	RD/BK	242	Battery Positive Voltage	IX	-
7	-	-	-	Not Occupied	-	-
8	2	RD/WH	3340	Battery Positive Voltage	IX	-
	3	RD/WH	3340	Battery Positive Voltage		-
9	2	RD/WH	3340	Battery Positive Voltage	XI	-
10	-	-	-	Not Occupied	-	-
11	0.5 0.5	PU PK	34 1200	Front Fog Lamp Supply Voltage Headlamp High Beam Signal	I	X88 with T96 Z88 without TVD
12	2	GY	295	Door Lock Actuator Lock Control	II	-
13	1	RD/WH	3240	Battery Positive Voltage	III	AXE
14	-	-	-	Not Occupied	-	-
15	0.8	RD/WH	440	Battery Positive Voltage	IV	-
16	0.35 0.35	TN/WH D-GN/WH	1969 1317	Headlamp High Beam Relay Control Fog Lamp Relay Control	V	Z88 without TVD X88 with T96
17	-	-	-	Not Occupied	-	-
18	1	RD/WH	340	Battery Positive Voltage	VI	-
19	0.35	RD/WH	2340	Battery Positive Voltage	V	A45

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

20	-	-	-	Not Occupied	-	-
21	0.35 0.5	RD/WH RD/WH	1840 1840	Battery Positive Voltage Battery Positive Voltage	IV	TB5 TB5
22	0.35	D-GN	5706	Liftgate Relay High Control	V	TB4
23	-	-	-	Not Occupied	-	-
24	0.35	YE	356	Driver Door Lock Relay Unlock Control	V	without AXE
25	0.35	OG	2268	Windshield Washer Relay Control	V	-
26	0.5	RD/WH	1940	Battery Positive Voltage	V	DL6 or DS3
27	0.8	D-GN	392	Rear Window Washer Pump Control	IV	-
28	1	BK	750	Ground	VII	-
29	0.5	RD/WH	4140	Battery Positive Voltage	V	-
30	0.35 0.35 0.35	YE PK/WH D-BU	1977 1970 545	Rear Fog Lamp Relay Control Headlamp Low Beam Relay Control DRL Relay Control	V	T79 Z88 without TVD X88 or Z88 with TVD
31	-	-	-	Not Occupied	-	-
32	0.5	PK	1139	Ignition Voltage	V	-
33	0.5	RD/WH	2340	Battery Positive Voltage	V	ULD
34	0.8	RD/WH	2140	Battery Positive Voltage	IV	-
35	-	-	-	Not Occupied	-	-
36	0.35 0.35	PU PK/WH	544 1970	DRL Relay Control Headlamp Low Beam Relay Control	V	X88 or W49 or Z88 with TVD Z88 without TVD
37	0.8	RD/WH	840	Battery Positive Voltage	IV	AXE
38	0.35	L-GN	1391	Driver Door Unlock Relay Control	V	-
39	0.5	L-GN	2270	Rear Window Washer Relay Control	V	-
40	0.5	L-BU	6128	Liftgate Latch Release	V	TB4
41	-	-	-	Not Occupied	-	-
42	1	RD/WH	3840	Battery Positive Voltage	VI	-
43	0.5	GY	391	Rear Window Wiper Switch Signal	V	-
44	0.5	OG	228	Windshield Washer Pump Control	V	-
45	0.35 0.35	RD/WH RD/WH	3140 3140	Battery Positive Voltage Battery Positive Voltage	V	UG1 AG3
46	0.5	PK	1139	Ignition Voltage	V	-
47	0.5 0.5	RD/WH RD/WH	2340 2340	Battery Positive Voltage Battery Positive Voltage	V	U2K or UBS U42

2014 GMC Acadia Denali


2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

48	0.35 0.35 0.35	D-BU OG YE	5364 122 712	Left Front Turn/DRL Supply Voltage Rear Fog Lamp Supply Voltage Left Headlamp Low Beam Supply Voltage	V	X88 or Z88 with TVD T79 Z88 without TVD
49	0.35	TN	28	Horn Relay Control	V	-
50	0.35	RD/WH	1340	Battery Positive Voltage	X	-
51	-	-	-	Not Occupied	-	-
52	1	RD/WH	640	Battery Positive Voltage	VII	KA1 without A45
53	1	TN	294	Door Lock Actuator Unlock Control	VI	-
54	1	TN	694	Driver Door Lock Actuator Unlock Control	VI	without AXE
55-56	-	-	-	Not Occupied	-	-
57	0.35	OG	300	Power Mode	V	U80
58	1	RD/WH	240	Battery Positive Voltage	VI	-
59	0.35	RD/WH	3140	Battery Positive Voltage	IV	UD7
60-62	-	-	-	Not Occupied	-	-
63	0.35	TN	28	Horn Relay Control	V	-
64	0.35	L-BU	5921	Driver Door Unlock Relay Control	V	-
65	0.5 0.5 0.35	PU TN/WH D-GN	359 312 5365	DRL Supply Voltage Right Headlamp Low Beam Supply Voltage Right Front Turn/DRL Supply Voltage	V	W49 Z88 without TVD X88 or Z88 with TVD
66-68	-	-	-	Not Occupied	-	-
69	0.35	YE	5704	Liftgate Relay Low Control	V	TB4
70-75	-	-	-	Not Occupied	-	-
76	5	RD/BK	642	Battery Positive Voltage	IX	-
77	3	RD/WH	1140	Battery Positive Voltage	XI	AG1 or AG3 or AH5
78	3	RD/WH	3040	Battery Positive Voltage	XI	AG2 or AAQ
79	2	RD/WH	4040	Battery Positive Voltage	XII	N38
80-84	-	-	-	Not Occupied	-	-

X51A FUSE BLOCK - INSTRUMENT PANEL X2

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse



Connector Part Information

- Harness Type: Instrument Panel
- OEM Connector: 7283-6456-90
- Service Connector: 88952778
- Description: 16-Way F Kaizen YESC Series (BU)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	13575312	J-35616-2A (GY)	J-38125-11A	7116-4101-08	9	E	A
II	13575848	J-35616-2A (GY)	J-38125-11A	7116-4100-08	9	E	C

X51A Fuse Block - Instrument Panel X2


Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	-	-	-	Not Occupied	-	-
2	0.5	GY	391	Rear Window Wiper Switch Signal	II	-
3-5	-	-	-	Not Occupied	-	-

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

6	0.35	RD/WH	1840	Battery Positive Voltage	II	-
7	-	-	-	Not Occupied	-	-
8	0.35	PK	1139	Ignition Voltage	II	-
9	-	-	-	Not Occupied	-	-
10	0.8	RD/WH	1240	Battery Positive Voltage	I	-
11-13	-	-	-	Not Occupied	-	-
14	0.8	RD/WH	4540	Battery Positive Voltage	I	-
15	0.8	RD/WH	1640	Battery Positive Voltage	I	-
16	0.35	PK	1139	Ignition Voltage	II	-

X51A FUSE BLOCK - INSTRUMENT PANEL X3



Connector Part Information

- Harness Type: Instrument Panel
- OEM Connector: 7283-6447-40
- Service Connector: 88956524
- Description: 14-Way F Hybrid Series (L-GY)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal	Service Terminal	Tray	Core Crimp	Insulation Crimp
------------------	-----------------	-----------------------	------------------	------------------	------	------------	------------------

2014 GMC Acadia Denali


2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

			Tool				
I	13575848	J-35616-2A (GY)	J-38125-11A	7116-4100-08	9	E	C

X51A Fuse Block - Instrument Panel X3

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1-5	-	-	-	Not Occupied	-	-
6	0.35	OG	300	Power Mode	I	-
7-10	-	-	-	Not Occupied	-	-
11	0.5	L-GN	2270	Rear Window Washer Relay Control	I	-
12	-	-	-	Not Occupied	-	-
13	0.35	TN	28	Horn Relay Control	I	-
14	-	-	-	Not Occupied	-	-

X51A FUSE BLOCK - INSTRUMENT PANEL X4



Connector Part Information

- Harness Type: Instrument Panel
- OEM Connector: 7283-3442-40

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse

- Service Connector: 89046712
- Description: 12-Way F YESC Kaizen Series (L-GY)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	13575848	J-35616-2A (GY)	J-38125-11A	7116-4100-08	9	E	C
II	13575850	J-35616-2A (GY)	J-38125-11A	7116-4101-08	9	E	A


X51A Fuse Block - Instrument Panel X4

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.35	RD/WH	1040	Battery Positive Voltage	I	-
2	-	-	-	Not Occupied	-	-
3	0.5	RD/WH	2140	Battery Positive Voltage	I	N38
4	-	-	-	Not Occupied	-	-
5	0.35	PU/WH	1382	LED Dimming Signal	I	-
6	-	-	-	Not Occupied	-	-
7	0.35	RD/WH	1040	Battery Positive Voltage	I	-
8	-	-	-	Not Occupied	-	-
9	0.35	PU/WH	7005	LED Dimming Signal	I	-
10	-	-	-	Not Occupied	-	-
11	1	RD/WH	4240	Battery Positive Voltage	II	-
12	-	-	-	Not Occupied	-	-

X55AF FUSE HOLDER - ENGINE CONTROL MODULE

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse



Connector Part Information

- Harness Type: Battery Positive Cable
- OEM Connector: 12010105
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F Fuseblock Components, Fuse Holders, Autofuse Series (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available

X55AF Fuse Holder - Engine Control Module


Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
A	1	RD	1	Battery Positive Voltage	I	-
B	1	RD/GN	540	Battery Positive Voltage	I	-

X55B FUSE HOLDER - TELEMATICS (UE1)

--

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse



Connector Part Information

- Harness Type: Battery Positive Cable
- OEM Connector: 12010105
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F Fuseblock Components, Fuse Holders, Autofuse Series (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available

X55B Fuse Holder - Telematics (UE1)


Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
A	1	RD/WH	4640	Battery Positive Voltage	I	-
B	1	RD	1	Battery Positive Voltage	I	-

X55J FUSE HOLDER - GENERATOR

--

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse



Connector Part Information

- Harness Type: Starter Cable
- OEM Connector: Pending
- Service Connector: Service by Component - See Part Catalog
- Description: 2-Way F Fuse Holder

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available

X55J Fuse Holder - Generator


Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
A	19.0	RD/BK	2	Battery Positive Voltage	I	-
B	19.0	RD/BK	2	Battery Positive Voltage	I	-

X55K FUSE HOLDER - STEERING COLUMN

--

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse



Connector Part Information

- Harness Type: Steering Wheel Air Bag Coil
- OEM Connector: Pending
- Service Connector: Service by Component - See Part Catalog
- Description: 2-Way F Fuse Holder

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available

X55K Fuse Holder - Steering Column


Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
A	0.5	BN	239	Run/Crank Ignition 1 Voltage	I	-
B	0.5	BN	241	Run/Crank Ignition 1 Voltage	I	-

X55X FUSE HOLDER - VIDEO DISPLAY (SPO ACCESSORY)

--

2014 GMC Acadia Denali

2014 ELECTRICAL Wiring Systems and Power Management - Component Locator - Electrical Center Identification
Views - Acadia, Enclave And Traverse



Connector Part Information

- Harness Type: SPO Accessory power
- OEM Connector: Not Available
- Service Connector: Service by Harness - See Part Catalog
- Description: 2-Way F Fuse Holder (BK)

Terminal Part Information

Terminal Type ID	Terminated Lead	Diagnostic Test Probe	Terminal Removal Tool	Service Terminal	Tray	Core Crimp	Insulation Crimp
I	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available

X55X Fuse Holder - Video Display (SPO Accessory)

Pin	Size	Color	Circuit	Function	Terminal Type ID	Option
1	0.5	OG	140	Battery Positive Voltage	I	-
2	0.5	OG	140	Battery Positive Voltage	I	-