

2 BODY DIMENSIONS

BODY DIMENSIONS AND MEASUREMENT	
METHODS	2-3
<SHORT WHEELBASE>	
TYPE A	
(PROJECTED DIMENSIONS)	2-4
UNDER BODY	2-4
SUSPENSION INSTALLATION DIMENSIONS	2-6
TYPE B	
(ACTUAL-MEASUREMENT DIMENSIONS)	2-8
UNDER BODY	2-8
SUSPENSION INSTALLATION DIMENSIONS	2-10
FRONT BODY	2-12
SIDE BODY	2-14
REAR BODY	2-15
INTERIOR	2-16
<LONG WHEELBASE>	
TYPE A	
(PROJECTED DIMENSIONS)	2-18
UNDER BODY	2-18
SUSPENSION INSTALLATION DIMENSIONS	2-20
TYPE B	
(ACTUAL-MEASUREMENT DIMENSIONS)	2-22
UNDER BODY	2-22
SUSPENSION INSTALLATION DIMENSIONS	2-24
FRONT BODY	2-26
SIDE BODY	2-28
REAR BODY	2-29
INTERIOR	2-30

BODY DIMENSIONS AND MEASUREMENT METHODS

STANDARD DIMENSIONS INDICATIONS AND MEASUREMENT METHODS

1. Type A (projected dimensions)
Indicates the dimension when a measurement location is projected onto a plane. The difference in height of the measurement points should be taken into consideration when measuring.

2. Type B (actual-measurement dimensions)
Indicates the actual distance between the measurement points.
Measure using a tracking gauge or a measuring tape, etc.

NOTES

- Make the lengths of the tracking gauge probes the same ($A=A'$).
- Do not bend or twist the measuring tape.






3. Insert the tracking gauge probes securely into the measurement holes.
4. When the standard dimensions in the illustration are enclosed by $\square$, this indicates that the symmetrical left and right positions have the same dimensions.

5. When using a notch for dimension measurement, make the measuring point at the centre of the notch.

6. When measuring the suspension mounting arm or the link mounting position, use the suspension mounting bolt as the measuring point.

BODY CENTRE POINT


The body centre points are shown for the purpose of checking the position of the left and right symmetry locations.




2-4 BODY DIMENSIONS – Type A (Projected Dimensions) <SHORT WHEELBASE>

<SHORT WHEELBASE>
TAPE A (PROJECTED DIMENSIONS)
UNDER BODY


mm



X0013CB









X0014CB



X0017CB

No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
1	Centre of skid plate mounting hole	○-11	8*	Centre of rear side member positioning hole	○-12
2*	Centre of front side member outer positioning hole	○-25	9*	Centre of trailing arm bracket positioning hole	○-15
3	Centre of front end rear extension positioning hole	○-20	10*	Centre of rear frame extension positioning hole	○-21
4*	Centre of front frame mounting hole (Rear section)	○-20	11*	Centre of rear side member positioning hole	○-25
5*	Centre of front side member outer positioning hole	○-25	12*	Centre of hook bracket mounting hole (Front section)	○-16
6	Centre of transmission mount centre member mounting hole	○-13	13	Centre of hook bracket mounting hole (Rear section)	○-16
7	Centre of transmission mount centre member mounting hole	○-13			


NOTE: The * mark indicates the mouting position for the frame centering gauge.




2-6 BODY DIMENSIONS – Type A (Projected Dimensions) <SHORT WHEELBASE>

SUSPENSION INSTALLATION DIMENSIONS


mm




X0015CB




X0016CB






A



B




No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
4	Centre of front frame mounting hole (Rear section)	○-20	16	Centre of trailing arm mounting position	—
5	Centre of front side member outer positioning hole	○-25	17	Centre of rear frame mounting hole (Front section)	○-18
8	Centre of rear side member positioning hole	○-12	18	Centre of rear frame mounting hole (Rear section)	○-20
14	Centre of front frame mounting hole (Front section)	○-20	19	Centre of rear shock absorber mounting hole	○-19
15	Centre of front shock absorber mounting hole	○-31.5			




2-8 BODY DIMENSIONS – Type B (Actual-Measurement Dimensions) <SHORT WHEELBASE>

TYPE B (ACTUAL-MEASUREMENT DIMENSIONS)
UNDER BODY

mm











X0009CB



X0010CB

BODY DIMENSIONS – Type B (Actual-Measurement Dimensions) <SHORT WHEELBASE> 2-9


No.	Standard measurement point	Hole shape - Size mm	No.	Standard measurement point	Hole shape - Size mm
1	Centre of skid plate mounting hole	○-11	8	Centre of rear side member positioning hole	○-12
2	Centre of front side member outer positioning hole	○-25	9	Centre of trailing arm bracket positioning hole	○-15
3	Centre of front end rear extension positioning hole	○-20	10	Centre of rear frame extension positioning hole	○-21
4	Centre of front frame mounting hole (Rear section)	○-20	11	Centre of rear side member positioning hole	○-25
5	Centre of front side member outer positioning hole	○-25	12	Centre of hook bracket mounting hole (Front section)	○-16
6	Centre of transmission mount centre member mounting hole	○-13	13	Centre of hook bracket mounting hole (Rear section)	○-16
7	Centre of transmission mount centre member mounting hole	○-13			




2-10 BODY DIMENSIONS – Type B (Actual-Measurement Dimensions) <SHORT WHEELBASE>

SUSPENSION INSTALLATION DIMENSIONS

mm










X0011CB



X0012CB

BODY DIMENSIONS – Type B (Actual-Measurement Dimensions) <SHORT WHEELBASE> 2-11


No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
4	Centre of front frame mounting hole (Rear section)	○-21	16	Centre of trailing arm mounting position	—
5	Centre of front side member outer positioning hole	○-25	17	Centre of rear frame mounting hole (Front section)	○-18
8	Centre of rear side member positioning hole	○-12	18	Centre of rear frame mounting hole (Rear section)	○-20
14	Centre of front frame mounting hole (Front section)	○-20	19	Centre of rear shock absorber mounting hole	○-19




2-12 BODY DIMENSIONS – Type B (Actual-Measurement Dimensions) <SHORT WHEELBASE>

FRONT BODY

mm












X0069CB



X0070CB

BODY DIMENSIONS – Type B (Actual-Measurement Dimensions) <SHORT WHEELBASE> 2-13



No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
20	Centre of washer tank mounting hole	○-15	28	Centre of hood lock stay positioning hole (Body centre point)	○-8
21	Centre of air guide mounting hole	○-8	29	Centre of headlamp mounting hole	○-6.6
22	Centre of front fender mounting hole	○-6.6	30	Centre of headlamp mounting hole	○-10
23	Centre of strut mounting hole	○-11	31	Centre of horn mounting hole	○-9
24	Centre of front fender mounting hole	○-11	32	Centre of condenser fan mounting hole (Left section)	○-9
25	Centre of hood weatherstrip mounting hole (Body centre point)	○-5.3		Centre of A/T cooler mounting hole (Right section)	
26	Centre of hood hinge mounting hole	○-12	33	Centre of front bumper mounting hole	○-6.6
27	Roof panel corner section	—			






2-14 BODY DIMENSIONS – Type B (Actual-Measurement Dimensions) <SHORT WHEELBASE>

SIDE BODY

mm




No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
34	Front pillar positioning notch (Upper section)	—	39	Quarter panel positioning notch (Lower section)	—
35	Front pillar positioning notch (Lower section)	—	40	Centre of front door hinge mounting hole (Upper section)	○-11
36	Side roof rail positioning notch	—	41	Centre of front door hinge mounting hole (Lower section)	○-11
37	Side sill positioning notch	—	42	Centre of bumper mounting hole	○-8.5
38	Quarter panel positioning notch (Upper section)	—			






REAR BODY

mm




No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
43	Roof panel corner section	—	48	Centre of rear bumper reinforcement mounting hole	○-9
44	Side outer panel corner section	—	49	Centre of rear bumper reinforcement mounting hole (Body centre point)	○-9
45	Centre of rear combination lamp mounting hole	○-10	50	Centre of back door hinge mounting hole (Upper section)	○-12
46	Centre of rear bumper side reinforcement mounting hole	○-10	51	Centre of back door hinge mounting hole (Lower section)	○-12
47	Centre of rear bumper reinforcement mounting hole	○-9			




2-16 BODY DIMENSIONS – Type B (Actual-Measurement Dimensions) <SHORT WHEELBASE>

INTERIOR


mm




X0116CB









X0117CB



X0118CB



No.	Standard measurement point	Hole shape - Size mm	No.	Standard measurement point	Hole shape - Size mm
34	Front pillar positioning notch (Upper section)	—	53	Body centre point	—
35	Front pillar positioning notch (Lower section)	—	54	Centre of back door scuff plate mounting hole	○-8.5
36	Side roof rail positioning notch	—	55	Centre of deck crossmember mounting hole (Upper section)	○-9
37	Side sill positioning notch	—	56	Centre of deck crossmember mounting hole (Lower section)	○-9
38	Quarter panel positioning notch (Upper section)	—	57	Instrument panel bracket centre tip (Body centre point)	—
39	Quarter panel positioning notch (Lower section)	—	58	Centre of deck crossmember mounting hole (Upper section)	○-11
52	Centre of parking brake lever mounting hole	○-11	59	Centre of deck crossmember mounting hole (Lower section)	○-11




2-18 BODY DIMENSIONS – Type A (Projected Dimensions) <LONG WHEELBASE>

<LONG WHEELBASE>


TYPE A (PROJECTED DIMENSIONS)

mm

UNDER BODY




X0063CB



X0064CB

BODY DIMENSIONS – Type A (Projected Dimensions) <LONG WHEELBASE> 2-19







mm



X0067CB


No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
1	Centre of skid plate mounting hole	○-11	8*	Centre of rear side member positioning hole	○-12
2*	Centre of front side member outer positioning hole	○-25	9	Centre of trailing arm bracket positioning hole	○-15
3	Centre of front end rear extension positioning hole	○-20	10*	Centre of rear frame extension positioning hole	○-21
4*	Centre of front frame mounting hole (Rear section)	○-20	11*	Centre of rear side member positioning hole	○-25
5*	Centre of front side member outer positioning hole	○-25	12*	Centre of hook bracket mounting hole (Front section)	○-14
6	Centre of transmission mount centre member mounting hole	○-13	13	Centre of hook bracket mounting hole (Rear section)	○-16
7	Centre of transmission mount centre member mounting hole	○-13			

NOTE: The * mark indicates the mouting position for the frame centering gauge.




SUSPENSION INSTALLATION DIMENSIONS


mm




X0065CB




X0066CB



A






B




X0068CB

No.	Standard measurement point	Hole shape - Size mm	No.	Standard measurement point	Hole shape - Size mm
4	Centre of front frame mounting hole (Rear section)	○-20	16	Centre of trailing arm mounting position	-
5	Centre of front side member outer positioning hole	○-25	17	Centre of rear frame mounting hole (Front section)	○-18
8	Centre of rear side member positioning hole	○-12	18	Centre of rear frame mounting hole (Rear section)	○-20
14	Centre of front frame mounting hole (Front section)	○-20	19	Centre of rear shock absorber mounting hole	○-19
15	Centre of front shock absorber mounting hole	○-31.5			




TYPE B (ACTUAL-MEASUREMENT DIMENSIONS)
UNDER BODY

mm











X0060CB



X0059CB


No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
1	Centre of skid plate mounting hole	○-11	8	Centre of rear side member positioning hole	○-12
2	Centre of front side member outer positioning hole	○-25	9	Centre of trailing arm bracket positioning hole	○-15
3	Centre of front end rear extension positioning hole	○-20	10	Centre of rear frame extension positioning hole	○-21
4	Centre of front frame mounting hole (Rear section)	○-20	11	Centre of rear side member positioning hole	○-25
5	Centre of front side member outer positioning hole	○-25	12	Centre of hook bracket mounting hole (Front section)	○-14
6	Centre of transmission mount centre member mounting hole	○-13	13	Centre of hook bracket mounting hole (Rear section)	○-16
7	Centre of transmission mount centre member mounting hole	○-13			




2-24 BODY DIMENSIONS – TYPE B (Actual-Measurement Dimensions)<LONG WHEELBASE>

SUSPENSION INSTALLATION DIMENSIONS

mm










X0061CB



X0062CB


No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
4	Centre of front frame mounting hole (Rear section)	○-21	16	Centre of trailing arm mounting position	—
5	Centre of front side member outer positioning hole	○-25	17	Centre of rear frame mounting hole (Front section)	○-18
8	Centre of rear side member positioning hole	○-12	18	Centre of rear frame mounting hole (Rear section)	○-20
14	Centre of front frame mounting hole (Front section)	○-20	19	Centre of rear shock absorber mounting hole	○-19




2-26 BODY DIMENSIONS – TYPE B (Actual-Measurement Dimensions)<LONG WHEELBASE>

FRONT BODY

mm












X0069CB



X0070CB

BODY DIMENSIONS – TYPE B (Actual-Measurement Dimensions)<LONG WHEELBASE> 2-27


No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
20	Centre of washer tank mounting hole	○-15	28	Centre of hood lock stay positioning hole (Body centre point)	○-8
21	Centre of air guide mounting hole	○-8	29	Centre of headlamp mounting hole	○-6.6
22	Centre of front fender mounting hole	○-6.6	30	Centre of headlamp mounting hole	○-10
23	Centre of strut mounting hole	○-11	31	Centre of horn mounting hole	○-9
24	Centre of front fender mounting hole	○-11	32	Centre of condenser fan mounting hole (Left section)	○-9
25	Centre of hood weatherstrip mounting hole (Body centre point)	○-5.3		Centre of A/T cooler mounting hole (Right section)	
26	Centre of hood hinge mounting hole	○-12	33	Centre of front bumper mounting hole	○-6.6
27	Roof panel corner section	–			




2-28 BODY DIMENSIONS – TYPE B (Actual-Measurement Dimensions)<LONG WHEELBASE>

SIDE BODY

mm






X0103CB




X0104CB

No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
34	Front pillar positioning notch (Upper section)	—	42	Quarter panel positioning notch (Upper section)	—
35	Front pillar positioning notch (Lower section)	—	43	Quarter panel positioning notch (Lower section)	—
36	Side roof rail positioning notch (Front section)	—	44	Centre of front door hinge mounting hole (Upper section)	○-11
37	Side sill positioning notch (Front section)	—	45	Centre of front door hinge mounting hole (Lower section)	○-11
38	Centre pillar positioning notch (Upper section)	—	46	Centre of rear door hinge mounting hole (Upper section)	○-10
39	Centre pillar positioning notch (Lower section)	—	47	Centre of rear door hinge mounting hole (Lower section)	○-10
40	Side roof rail positioning notch (Rear section)	—	48	Centre of rear door switch mounting hole	○-5
41	Side sill positioning notch (Rear section)	—			






REAR BODY

mm




No.	Standard measurement point	Hole shape - Size mm	No.	Standard measurement point	Hole shape - Size mm
49	Roof panel corner section	—	54	Centre of rear bumper reinforcement mounting hole	○-9
50	Side outer panel corner section	—	55	Centre of rear bumper reinforcement mounting hole (Body centre point)	○-9
51	Centre of rear combination lamp mounting hole	○-10	56	Centre of back door hinge mounting hole (Upper section)	○-12
52	Centre of rear bumper side reinforcement mounting hole	○-10	57	Centre of back door hinge mounting hole (Lower section)	○-12
53	Centre of rear bumper reinforcement mounting hole	○-9			




INTERIOR


mm




X0130CB



X0131CB



X0151CB



No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
34	Front pillar positioning notch (Upper section)	—	58	Centre of parking brake lever mounting hole	○-11
35	Front pillar positioning notch (Lower section)	—	59	Body centre point	—
36	Side roof rail positioning notch (Front section)	—	60	Body centre point	—
37	Side sill positioning notch (Rear section)	—	61	Centre of back door scuff plate mounting hole	○-8.5
38	Centre pillar positioning notch (Upper section)	—	62	Centre of deck crossmember mounting hole (Upper section)	○-9
39	Centre pillar positioning notch (Lower section)	—	63	Centre of deck crossmember mounting hole (Lower section)	○-9
40	Side roof rail positioning notch (Rear section)	—	64	Instrument panel bracket centre tip (Body centre point)	—
41	Side sill positioning notch (Rear section)	—	65	Centre of deck crossmember mounting hole (Upper section)	○-11
42	Quarter panel positioning notch (Upper section)	—	66	Centre of deck crossmember mounting hole (Lower section)	○-11
43	Quarter panel positioning notch (Lower section)	—			

