

Interior Trim and Paneling


cardiagn.com

Repair Instructions

cardiagn.com

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Front Side Door Window Switch Bezel Replacement





cardiagn.com

[Click here for full size](#)

Callout	Component Name
Preliminary Procedure	
Remove the front side door trim. Refer to Front Side Door Trim Panel Replacement .	
1	Front Side Door Window Switch Bezel Screw (Qty: 9) Caution: Refer to Fastener Caution . Tighten 2 N-m (18 lb-in)
2	Front Side Door Window Switch Bezel Assembly

Related Part Information


Part Name	Catalog Name	Part Code
Front Side Door Window Switch Bezel BEZEL,FRT S/D WDO SW 7104A		
Front Side Door Window Switch Bezel BEZEL,FRT S/D WDO SW 7104B		

Part Name	Catalog Name	Part Code
Front Side Door Window Switch Bezel	BEZEL,FRT S/D WDO SW	SJ402

cardiagn.com

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Rear Side Door Window Switch Bezel Replacement




[Click here for full size](#)

Callout	Component Name
Preliminary Procedure	
Remove the rear side door trim. Refer to Rear Side Door Trim Panel Replacement .	
1	Rear Side Door Window Switch Bezel Screw (Qty: 2) Caution: Refer to Fastener Caution . Tighten 2 N-m (18 lb-in)
2	Rear Side Door Window Switch Bezel Assembly

- 1. BODY HARDWARE AND TRIM
- 2. INTERIOR TRIM AND PANELING
- 3. REPAIR INSTRUCTIONS
- 4.

Front Side Door Upper Front Trim Panel Replacement



[Click here for full size](#)


Callout	Component Name
1	Front Side Door Upper Front Trim Panel Assembly Clip (Qty:â€%2)
2	Front Side Door Upper Front Trim Panel Assembly


Related Part Information

Part Name	Catalog Name	Part Code
Front Side Door Upper Front Trim Panel PANEL,FRT S/D UPR FRT TR		0335A
Front Side Door Upper Front Trim Panel PANEL,FRT S/D UPR FRT TR		0335B
Front Side Door Upper Front Trim Panel PANEL,FRT S/D UPR FRT TR (W/ SPKR)		0335C

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Front Side Door Trim Panel Replacement





[Click here for full size](#)

Callout	Component Name
Preliminary Procedure	
Remove the front side door upper front trim panel. Refer to Front Side Door Upper Front Trim Panel Replacement .	
1	Front Side Door Pull Handle Fastener Caution: Refer to Fastener Caution .
2	Front Side Door Trim Clip (Qty:â€™9)
3	Front Side Door Trim Assembly Procedure Disconnect the electrical connectors.

Related Part Information


Part Name	Catalog Name	Part Code
-----------	--------------	-----------

Part Name	Catalog Name	Part Code
Front Side Door Trim Panel	PANEL,FRT S/D TR	1150A
Front Side Door Trim Panel	PANEL,FRT S/D TR(W/REG & WDO)	1155A
Front Side Door Trim Panel	PANEL,FRT S/D TR	1200A
Front Side Door Trim Panel	PANEL KIT,FRT S/D TR	0199Z
Front Side Door Trim Panel	PANEL,FRT S/D TR	0200A
Front Side Door Trim Panel	PANEL,FRT S/D TR	0200B
Front Side Door Trim Panel	PANEL,FRT S/D TR (W/ REG & WDO)	0200C
Front Side Door Trim Panel	PANEL,FRT S/D TR (BLANK)	0200D

cardiagn.com

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Front Side Door Trim Panel Applique Replacement



✓✓✓✓


cardiagn.com

[Click here for full size](#)

Preliminary Procedure	
Remove the front side door trim panel. Refer to Front Side Door Trim Panel Replacement .	
	Front Side Door Trim Panel Applique Screw (Qty: 2)
Caution:	
1	Refer to Fastener Caution .
Tighten	
2 N-m (18 lb-in)	
2	Front Side Door Trim Panel Applique Assembly

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Rear Side Door Trim Panel Replacement





cardiagn.com

[Click here for full size](#)

Callout	Component Name
Preliminary Procedure	
Remove the rear side door upper rear trim panel. Refer to Rear Side Door Upper Rear Trim Panel Replacement .	
1	Rear Side Door Pull Handle Screw Caution: Refer to Fastener Caution . Tighten 2â€”N-m (18â€”lbâ€”in)
2	Rear Side Door Trim Clip (Qty:â€”9)
3	Rear Side Door Trim Assembly Procedure Disconnect the electrical connectors.


Related Part Information

Part Name	Catalog Name	Part Code
Rear Side Door Trim Panel	PANEL,RR S/D TR	2650A
Rear Side Door Trim Panel	PANEL,RR S/D TR	2700A
Rear Side Door Trim Panel	PANEL,RR S/D TR (BLANK)	3210Q
Rear Side Door Trim Panel	PANEL KIT,RR S/D TR	0919Z
Rear Side Door Trim Panel	PANEL,RR S/D TR	0920A
Rear Side Door Trim Panel	PANEL,RR S/D TR	0920B
Rear Side Door Trim Panel	PANEL,RR S/D TR (BLANK)	0920C

cardiagn.com

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Rear Side Door Upper Rear Trim Panel Replacement






cardiagn.com

[Click here for full size](#)

Callout	Component Name
1	Rear Side Door Upper Rear Trim Panel Clip (Qty:â€%02)
2	Rear Side Door Upper Rear Trim Panel Assembly Procedure Pull the door upper rear trim panel away from the rear side door.

- 1. BODY HARDWARE AND TRIM
- 2. INTERIOR TRIM AND PANELING
- 3. REPAIR INSTRUCTIONS
- 4.

Front Side Door Water Deflector Replacement



[Click here for full size](#)


Callout	Component Name
Preliminary Procedure	
Front Side Door Trim Panel Replacement	
1	Front Side Door Pull Handle Bracket Screw Caution: Refer to Fastener Caution . Tighten 2>N-m (18 lb in)
2	Front Side Door Pull Handle Bracket
3	Front Side Door Water Deflector Procedure Disconnect, unclip and guide the electrical connectors and door lock cable through the water deflector while removing it from the door. Note: Make sure that the front side door water deflector is leakproof.

Related Part Information

Part Name	Catalog Name	Part Code
Front Side Door Water Deflector	DEFLECTOR,FRT S/D WAT	0299A
Front Side Door Water Deflector	DEFLECTOR,FRT S/D WAT	0300A
Front Side Door Water Deflector	DEFLECTOR KIT,FRT S/D WAT	0199Z
Front Side Door Water Deflector	DEFLECTOR,FRT S/D WAT	0200A
Front Side Door Water Deflector	DEFLECTOR,FRT S/D WAT	0200B

- 1. BODY HARDWARE AND TRIM
- 2. INTERIOR TRIM AND PANELING
- 3. REPAIR INSTRUCTIONS
- 4.

Rear Side Door Water Deflector Replacement




[Click here for full size](#)

Callout	Component Name
Preliminary Procedure	
Rear Side Door Trim Panel Replacement	
1	Rear Side Door Pull Handle Bracket Screw Caution: Refer to Fastener Caution. Tighten 2>N-m (18 lb in)
2	Rear Side Door Pull Handle Bracket
3	Rear Side Door Water Deflector Procedure Disconnect, unclip and guide the electrical connectors and door lock cable through the water deflector while removing it from the door. Note: Secure that the rear side door water deflector is leakproof.

- 1. BODY HARDWARE AND TRIM
- 2. INTERIOR TRIM AND PANELING
- 3. REPAIR INSTRUCTIONS
- 4.

Body Lock Pillar Trim Panel Replacement




[Click here for full size](#)

Callout	Component Name
Preliminary Procedures	
1. Rear Side Door Sill Trim Plate Replacement	
2. Rear Seat Back Cushion Removal and Installation	
1	Body Lock Pillar Trim Panel Screw [2>x] Caution: Refer to Fastener Caution . Tighten 2>N-m (18 lb in)
2	Body Lock Pillar Trim Panel Clip Button
3	Body Lock Pillar Trim Panel Clip
4	Body Lock Pillar Trim Panel

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Front Side Door Sill Trim Plate Replacement





[Click here for full size](#)


Callout	Component Name
1	Front Side Door Sill Trim Plate Retainer (Qty:â€™%01)
2	Front Side Door Sill Trim Plate Push Pin Clip (Qty:â€™%01)
3	Front Side Door Sill Trim Plate Clip (Qty:â€™%03)
4	Front Side Door Sill Trim Plate

Related Part Information

Part Name	Catalog Name	Part Code
Front Side Door Sill Trim Plate	PLATE,FRT S/D SILL TR	5249A
Front Side Door Sill Trim Plate	PLATE,FRT S/D SILL TR	5250A
Front Side Door Sill Trim Plate	PLATE PKG,FRT S/D SILL TR	1819Z
Front Side Door Sill Trim Plate	PLATE,FRT S/D SILL TR	1820A
Front Side Door Sill Trim Plate	PLATE,FRT S/D SILL TR	1820B
Front Side Door Sill Trim Plate	PLATE SET,FRT S/D SILL TR	1826A
Front Side Door Sill Trim Plate	PLATE,FRT S/D SILL TR	SJ018
Front Side Door Sill Trim Plate	PLATE PKG,FRT S/D SILL TR	SJ135

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Rear Side Door Sill Trim Plate Replacement





[Click here for full size](#)

Callout	Component Name
Preliminary Procedure	
Remove the rear seat cushion. Refer to Rear Seat Cushion Removal and Installation .	
1	Rear Side Door Sill Trim Plate Push Clip (Qty:1)
2	Rear Side Door Sill Trim Plate Screw (Qty:1) Caution: Refer to Fastener Caution . Tighten 2N-m (18lb-in)
3	Rear Side Door Sill Trim Plate Clip (Qty:1)
4	Rear Side Door Sill Trim Plate Assembly

Related Part Information


Part Name	Catalog Name	Part Code
-----------	--------------	-----------

Part Name	Catalog Name	Part Code
Rear Side Door Sill Trim Plate	PLATE,RR S/D SILL TR	5349A
Rear Side Door Sill Trim Plate	PLATE,RR S/D SILL TR	5350A
Rear Side Door Sill Trim Plate	PLATE,RR S/D SILL TR	2100A
Rear Side Door Sill Trim Plate	PLATE,RR S/D SILL TR	2100B
Rear Side Door Sill Trim Plate	PLATE SET,RR S/D SILL TR	2102A

cardiagn.com

- 1. BODY HARDWARE AND TRIM
- 2. INTERIOR TRIM AND PANELING
- 3. REPAIR INSTRUCTIONS
- 4.

Rear Compartment Side Trim Panel Replacement



[Click here for full size](#)


Callout	Component Name
Preliminary Procedures	
1. Remove the load floor trim panel. Load Floor Trim Panel Replacement	
2. Remove the rear end trim cover panel. Rear End Trim Cover Panel Replacement	
1	Rear Compartment Side Trim Retainer [6>x]
2	Rear Compartment Side Trim

Related Part Information

Part Name	Catalog Name	Part Code
Rear Compartment Side Trim Panel	PANEL,R/CMPT SI TR 9670A	
Rear Compartment Side Trim Panel	PANEL,R/CMPT SI TR 9670B	
Rear Compartment Side Trim Panel	PANEL,R/CMPT SI TR 0948A	
Rear Compartment Side Trim Panel	PANEL,R/CMPT SI TR 0948B	

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Assist Handle Replacement




[Click here for full size](#)

Callout	Component Name
1	Assist Handle Bolt Cover
2	Assist Handle Bolt (Qty: 2) Caution: Refer to Fastener Caution . Tighten 5 N-m (44 lb-in)
3	Assist Handle Assembly

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Sunshade Replacement





cardiagn.com

[Click here for full size](#)

Callout	Component Name
1	Sunshade Support Screw Cover
2	Sunshade Support Screw (Qty: 1) Caution: Refer to Fastener Caution Tighten 2 N-m (18 lb-in)
3	Sunshade Support
4	Sunshade Screw (Qty: 2) Tighten 2 N-m (18 lb-in)
5	Sunshade Assembly


Related Part Information

Part Name	Catalog Name	Part Code
Sunshade	SUNSHADE KIT,	0920A
Sunshade	SUNSHADE,	0925A
Sunshade	SUNSHADE,	0925B
Sunshade	SUNSHADE,	0925C
Sunshade	SUNSHADE PKG,	3299A
Sunshade	SUNSHADE,	3300A
Sunshade	SUNSHADE,	3300B
Sunshade	SUNSHADE,	3300C

cardiagn.com

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Windshield Garnish Molding Replacement





[Click here for full size](#)

Callout	Component Name
Preliminary Procedure	
Disable the SIR system. Refer to SIR Disabling and Enabling .	
1	Windshield Garnish Molding Clip (Qty:1) Procedure 1. Tabs must be installed prior to retainers. 2. Tabs to be fully seated in the instrument panel (I/P) trim panel retainer and valance panel. 3. Disconnect the electrical connectors. 4. Ensure the tether is reattached when installed.
2	Windshield Garnish Molding

Related Part Information

Part Name	Catalog Name	Part Code
-----------	--------------	-----------

Windshield Garnish Molding	MOLDING,W/S GARN	1250A
----------------------------	------------------	-------

Windshield Garnish Molding	MOLDING,W/S GARN	1300A
----------------------------	------------------	-------


Windshield Garnish Molding	MOLDING,W/S GARN	1100A
----------------------------	------------------	-------

Windshield Garnish Molding	MOLDING,W/S GARN	1100B
----------------------------	------------------	-------

cardiagn.com

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Center Pillar Upper Trim Panel Replacement





[Click here for full size](#)

Callout	Component Name
Preliminary Procedure	
1. Remove the center pillar lower trim panel. Refer to Center Pillar Lower Trim Panel Replacement .	
2. Remove the seat belt lower bolt. Refer to Driver or Passenger Seat Belt Replacement .	
1	Center Pillar Upper Trim Panel Screw (Qty:1) Caution: Refer to Fastener Caution . Tighten 2.0 N-m (18 lb-in)
2	Center Pillar Upper Trim Panel Clip (Qty:1)

Callout	Component Name
3	Center Pillar Upper Trim Panel Assembly
	Procedure
	When replacing the center pillar upper trim panel, remove the seat belt through the panel.


Related Part Information

Part Name	Catalog Name	Part Code
Center Pillar Upper Trim Panel	PANEL,CTR PLR UPR TR 8080A	
Center Pillar Upper Trim Panel	PANEL,CTR PLR UPR TR 8080B	
Center Pillar Upper Trim Panel	PANEL,CTR PLR UPR TR 0106A	
Center Pillar Upper Trim Panel	PANEL,CTR PLR UPR TR 0106B	

cardiagn.com

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Center Pillar Lower Trim Panel Replacement





cardiagn.com

[Click here for full size](#)


Callout	Component Name
Preliminary Procedure	
1. Remove the front side door sill trim plate. Refer to Front Side Door Sill Trim Plate Replacement .	
2. Remove the rear side door sill trim plate. Refer to Rear Side Door Sill Trim Plate Replacement .	
1	Center Pillar Lower Trim Panel Assembly

Related Part Information

Part Name	Catalog Name	Part Code
Center Pillar Lower Trim Panel	PANEL,CTR PLR LWR TR 8120A	
Center Pillar Lower Trim Panel	PANEL,CTR PLR LWR TR 8120B	
Center Pillar Lower Trim Panel	PANEL,CTR PLR LWR TR 0143A	
Center Pillar Lower Trim Panel	PANEL,CTR PLR LWR TR 0143B	

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Quarter Window Garnish Molding Replacement (Hatchback)





[Click here for full size](#)

Callout	Component Name
Preliminary Procedure	
Remove the quarter lower rear trim panel. Refer to Quarter Lower Rear Trim Panel Replacement .	
1	Quarter Window Garnish Molding Screw (Qty: 1) Caution: Refer to Fastener Caution . Tighten 2 N-m (18 lb-in)
2	Quarter Window Garnish Molding Clip (Qty: 4)
3	Quarter Window Garnish Molding Assembly

Related Part Information

Part Name	Catalog Name	Part Code
-----------	--------------	-----------

Part Name	Catalog Name	Part Code
Quarter Window Garnish Molding	MOLDING,Q/WDO GARN 7200A	
Quarter Window Garnish Molding	MOLDING,Q/WDO GARN 7200B	
Quarter Window Garnish Molding	MOLDING,Q/WDO GARN 4850A	
Quarter Window Garnish Molding	MOLDING,Q/WDO GARN 4850B	

cardiagn.com

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Quarter Lower Rear Trim Panel Replacement (Hatchback)






cardiagn.com

[Click here for full size](#)

Callout	Component Name
Preliminary Procedure	
Remove the rear wheel house trim finish panel. Refer to Rear Wheelhouse Trim Finish Panel Replacement .	
1	Quarter Lower Rear Trim Panel Screw (Qty: 3) Caution: Refer to Fastener Caution . Tighten 2 N-m (18 lb-in)
2	Quarter Lower Rear Trim Panel Tip If necessary, disconnect the speaker electric wiring connector.

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Rear Wheelhouse Trim Finish Panel Replacement (Hatchback)





cardiagn.com

[Click here for full size](#)

Callout	Component Name
Preliminary Procedures 1. Remove the rear side door sill trim plate. Refer to Rear Side Door Sill Trim Plate Replacement . 2. Remove the rear seat back. Refer to Rear Seat Back Cushion Removal and Installation . 3. Remove the rear seat belt lower bolt. Refer to Shoulder Belt Replacement - Rear .	
1	Rear Wheel House Trim Finish Panel Screw (Qty:â€%2) Caution: Refer to Fastener Caution . Tighten 2â€%N-m (18â€%lbâ€%in)
2	Rear Wheelhouse Trim Finish Panel Clip (Qty:â€%2)
3	Rear Wheelhouse Trim Finish Panel Assembly


Related Part Information

Part Name	Catalog Name	Part Code
Rear Wheelhouse Trim Finish Panel	PANEL,RR W/H TR FIN 3543A	
Rear Wheelhouse Trim Finish Panel	PANEL,RR W/H TR FIN 3543B	
Rear Wheelhouse Trim Finish Panel	PANEL,RR W/H TR FIN 3280A	
Rear Wheelhouse Trim Finish Panel	PANEL,RR W/H TR FIN 3280B	

cardiagn.com

- 1. BODY HARDWARE AND TRIM
- 2. INTERIOR TRIM AND PANELING
- 3. REPAIR INSTRUCTIONS
- 4.

Rear Window Panel Trim Replacement



[Click here for full size](#)

Callout	Component Name
Preliminary Procedures	
1. Rear Seat Back Cushion Removal and Installation	
2. High Mount Stop Lamp Replacement	
3. Body Side Rear Window Garnish Molding Replacement	
1	Rear Window Panel Trim Plastic Tree Retainer [3>x]
2	Rear Window Panel Trim Retainer [2>x]
2	Rear Window Panel Trim
	Procedure
When replacing the rear window panel trim assembly, transfer all necessary components.	

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Rear Compartment Stowage Shelf Replacement (Hatchback)

[Click here for full size](#)

Callout	Component Name
1	Rear Compartment Stowage Shelf Procedure Detach rear compartment stowage shelf from upper supports.


Related Part Information

Part Name	Catalog Name	Part Code
Rear Compartment Stowage Shelf	SHELF,R/CMPT STOW	4970A

cardiagn.com

- 1. BODY HARDWARE AND TRIM
- 2. INTERIOR TRIM AND PANELING
- 3. REPAIR INSTRUCTIONS
- 4.

Rear End Trim Cover Panel Replacement




[Click here for full size](#)

Callout	Component Name
Preliminary Procedure	
Partially remove the rear compartment opening weatherstrip. Rear Compartment Lid Weatherstrip Replacement.	
1	Rear End Trim Cover Panel Retainer [2>x]
2	Rear End Trim Cover Panel Clip [4>x]
3	Rear End Trim Cover Panel

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Load Floor Trim Panel Replacement



[Click here for full size](#)


Callout	Component Name
1	Load Floor Trim Panel

Related Part Information

Part Name	Catalog Name	Part Code
Load Floor Trim Panel	PANEL,LOAD FLR TR	2768A

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Load Floor Panel Frame Replacement



[Click here for full size](#)

Callout	Component Name
Preliminary Procedures 1. Remove the cargo partition. Refer to Cargo Partition Replacement . 2. Remove the rear compartment partition upper rail. Refer to Rear Compartment Partition Upper Rail Replacement . 3. Remove the load floor rear compartment cover. Refer to Load Floor Rear Compartment Cover Replacement .	
1	Load Floor Panel Frame Nut (Qty:â€%4) Caution: Refer to Fastener Caution . Tighten 22â€%N-mâ€%(16â€%lbâ€%ft)
2	Load Floor Panel Frame Bolt (Qty:â€%2) Tighten 42â€%N-mâ€%(31â€%lbâ€%ft)
3	Load Floor Side Panel Bolt (Qty:â€%2) Tighten 22â€%N-mâ€%(16â€%lbâ€%ft)
4	Load Floor Side Panel Nut (Qty:â€%2) Tighten 22â€%N-mâ€%(16â€%lbâ€%ft)
5	Rear Floor Panel Bracket
6	Load Floor Panel Frame


Related Part Information

Part Name	Catalog Name	Part Code
Load Floor Panel Frame	FRAME,LOAD FLR PNL	2788A

cardiagn.com

- 1. BODY HARDWARE AND TRIM
- 2. INTERIOR TRIM AND PANELING
- 3. REPAIR INSTRUCTIONS
- 4.

Rear Compartment Partition Upper Rail Replacement



[Click here for full size](#)


Callout	Component Name
Preliminary Procedure	
Remove the cargo partition. Refer to Cargo Partition Replacement .	
1	Rear Compartment Floor Stowage Compartment Bracket Bolt (Qty: 2) Caution: Refer to Fastener Caution . Tighten 9 N-m (80 lb-in)
2	Rear Compartment Partition Upper Rail Bolt (Qty: 2) Tighten 9 N-m (80 lb-in)
3	Rear Compartment Floor Stowage Compartment Bracket
4	Rear Compartment Partition Upper Rail

Related Part Information

Part Name	Catalog Name	Part Code
Rear Compartment Partition Upper Rail	RAIL,R/CMPT PARTITION UPR 9250A	
Rear Compartment Partition Upper Rail	RAIL,R/CMPT PARTITION UPR 9250B	

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Load Floor Rear Compartment Cover Replacement



[Click here for full size](#)


Callout	Component Name
Preliminary Procedure	
Remove the rear compartment partition upper rail. Refer to Rear Compartment Partition Upper Rail Replacement .	
1	Load Floor Rear Compartment Cover Screw (Qty:12) Caution: Refer to Fastener Caution . Tighten 3â€”N-m (27â€”lbâ€”in)
2	Load Floor Rear Compartment Cover â€” Rear
3	Load Floor Rear Compartment Cover â€” Front
4	Load Floor Rear Compartment Cover â€” Side

Related Part Information

Part Name	Catalog Name	Part Code
Load Floor Rear Compartment Cover	COVER,LOAD FLR RR COMPT 2773H	
Load Floor Rear Compartment Cover	COVER,LOAD FLR RR COMPT 2773I	
Load Floor Rear Compartment Cover	COVER,LOAD FLR RR COMPT 0987A	
Load Floor Rear Compartment Cover	COVER,LOAD FLR RR COMPT 0987B	

- 1. BODY HARDWARE AND TRIM
- 2. INTERIOR TRIM AND PANELING
- 3. REPAIR INSTRUCTIONS
- 4.

Cargo Partition Replacement



[Click here for full size](#)


Callout	Component Name
1	Cargo Partition Screw (Qty:7)
	Caution:
	Refer to Fastener Caution .
	Tighten
2	7N-m (62lb-in)
	Cargo Partition

Related Part Information

Part Name	Catalog Name	Part Code
Cargo Partition	PARTITION PKG,CARGO	1539Y
Cargo Partition	PARTITION,CARGO	1540A

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. REPAIR INSTRUCTIONS
- 4.

Liftgate Trim Panel Replacement (Hatchback)






cardiagn.com

[Click here for full size](#)

Callout	Component Name
1	Liftgate Trim Panel Screw (Qty:â€™%01) Caution: Refer to Fastener Caution . Tighten 2â€™%00N-m (18â€™%00lbâ€™%00in)
2	Liftgate Trim Panel Clip (Qty:â€™%08)
3	Liftgate Trim Panel Assembly (Qty:â€™%09)

- 1. BODY HARDWARE AND TRIM
- 2. INTERIOR TRIM AND PANELING
- 3. REPAIR INSTRUCTIONS
- 4.

Body Side Rear Window Garnish Molding Replacement



[Click here for full size](#)


Callout	Component Name
1	Body Side Rear Window Garnish Molding Clip [4>x]
2	Body Side Rear Window Garnish Molding Procedure 1. Use a flat bladed plastic trim tool. 2. Pull outward from the top front to release the upper portion of the molding, then move upward to release the tabs.

Related Part Information

Part Name	Catalog Name	Part Code
Body Side Rear Window Garnish Molding	MOLDING KIT,BODY SI R/WDO GARN	6624A
Body Side Rear Window Garnish Molding	MOLDING,BODY SI R/WDO GARN	6625A
Body Side Rear Window Garnish Molding	MOLDING KIT,BODY SI R/WDO GARN	3099A
Body Side Rear Window Garnish Molding	MOLDING,BODY SI R/WDO GARN	3100A
Body Side Rear Window Garnish Molding	MOLDING,BODY SI R/WDO GARN	3100B

- 1. BODY HARDWARE AND TRIM
- 2. INTERIOR TRIM AND PANELING
- 3. REPAIR INSTRUCTIONS
- 4.

Body Pressure Relief Valve Replacement



[Click here for full size](#)

Call out	Component Name
Preliminary Procedure	
Rear Bumper Fascia Replacement	
1	Body Pressure Relief Valve
	Procedure
	Using the appropriate flat blade tool, release the tabs attaching the valves to the rear end panel to remove the body pressure relief valve.

Specifications

cardiagn.com

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. SPECIFICATIONS
- 4.

Fastener Specifications

Reusable Threaded Fastener Tightening Specifications


Application	Specification
	Metric (English)
Note:	
All fasteners listed in this table can be reused after removal.	
Assist Handle Bolt	5>N-m (44 lb in)
Center Pillar Upper Trim Panel Screw	2>N-m (18 lb in)
Front Side Door Pull Handle Screw	2>N-m (18 lb in)
Front Side Door Pull Handle Bracket Screw	2>N-m (18 lb in)
Front Side Door Trim Panel Applique Screw	2>N-m (18 lb in)
Front Side Door Window Switch Bezel Screw	2>N-m (18 lb in)
Liftgate Trim Panel Screw	2>N-m (18 lb in)
Quarter Lower Rear Trim Panel Screw	2>N-m (18 lb in)
Quarter Window Garnish Molding Screw	2>N-m (18 lb in)
Rear Side Door Pull Handle Screw	2>N-m (18 lb in)
Rear Side Door Pull Handle Bracket Screw	2>N-m (18 lb in)
Rear Side Door Sill Trim Plate Screw	2>N-m (18 lb in)
Rear Side Door Window Switch Bezel Screw	2>N-m (18 lb in)
Rear Wheelhouse Trim Finish Panel Screw	2>N-m (18 lb in)
Sunshade Screw	2>N-m (18 lb in)
Sunshade Support Screw	2>N-m (18 lb in)

Special Tools and Equipment

cardiagn.com

1. BODY HARDWARE AND TRIM
2. INTERIOR TRIM AND PANELING
3. SPECIAL TOOLS AND EQUIPMENT
- 4.

Special Tools

Illustration	Tool Number/ Description
	BO-50048 KM-475-B Trim Remover
Click here for full size	

BODY REPAIR

cardiagn.com