


GROUP 00 GENERAL


VEHICLE IDENTIFICATION

MODELS

Model Code		Engine model	Transmission model	Fuel supply system
K62T	JERDEL6	4G63-SOHC (1,997 mℓ)	R4AW2 (2WD-4A/T)	MPI
	ENDEL6		R5M21 (2WD-5M/T)	
K64T	YNDL6	4D56 (2,477mℓ)	R5M21 (2WD-5M/T)	Fuel injection
	ZNDL6			
	ENDL6			
	ENDR6			
	CENDL6			
	JENDL6			
K75T	CENDEL6	4G64-SOHC (2,351 mℓ)	V5M21 (4WD-5M/T)	MPI
K74T	YNDFL6	4D56-Turbocharger with intercooler (2,477 mℓ)	V5MT1 (4WD-5M/T)	Fuel injection
	ZNDFL6			
	ENDFR6			
	JERDFL6		V4AW2 (4WD-4A/T)	
	GJENXFL6		V5MT1(4WD-5M/T)	
	CENDFL6			
	JENDFL6			
	JENHFL6			


**CHASSIS NUMBER**

The chassis number is stamped on the side wall of the frame near the rear wheel (R.H.).



No.	Items		Contents
1	Continent	M	ASIA
2	Country	M	THAILAND
3	Register code	B	Follow register
4	Body shape	C	Club cab
		J	Double cab
		O	Single cab
		Y	Single cab without rear body
		Z	Double cab without rear body
5	Transmission type	N	5-speed manual transmission
		R	4-speed automatic transmission
6	Vehicle line	K	Mitsubishi L200
7	Body type	6	Long wheelbase
		7	4WD, Long wheelbase
8	Engine type	2	4G63: 1,997 ml petrol engine
		4	4D56: 2,477 ml diesel engine
		5	4G64: 2,351 ml petrol engine
9	Internal production control code	O	A, B, C... etc. 0 (zero): No meaning
10	Model year	W	1998
11	Plant	A	A, C: LARDKRABANG factory D, F: LAEMCHABANG factory
12	Serial number	-	-


MAJOR SPECIFICATIONS



P01A038

<2WD Single cab>


Items			K62T ENDEL6	K64T ENDL6	K64T YNDL6	K64T ENDR6
Vehicle dimensions mm	Overall length	1	4,935	4,935	4,775	4,935
	Overall width	2	1,695	1,695	1,695	1,695
	Overall height (unladen)	3	1,585	1,585	1,585	1,585
	Wheelbase	4	2,950	2,950	2,950	2,950
	Track-front	5	1,450	1,450	1,450	1,450
	Track-rear	6	1,435	1,435	1,435	1,435
	Overhang-front	7	775	775	775	775
	Overhang-rear	8	1,210	1,210	1,210	1,210
	Ground clearance (unladen)	9	190	190	190	190
	Cargo area length	10	2,245	2,245	–	2,245
	Cargo area width	11	1,470	1,470	–	1,470
	Cargo bed height	12	680	680	–	680
Vehicle weight kg	Kerb weight		1,315	1,365	1,235	1,365
	Max. gross vehicle weight rating		2,520	2,570	2,570	2,570
	Max. axle weight rating-front		1,000	1,000	1,000	1,000
	Max. axle weight rating-rear		1,700	1,700	1,700	1,700
	Max. trailer weight	With brake	1,500	1,500	1,500	1,500
		Without brake	500	500	500	500
	Max. trailer-nose weight		75	75	75	75
Seating capacity			2	2	2	2
Engine	Model No.		4G63	4D56	4D56	4D56
	Total displacement ml		1,997	2,477	2,477	2,477
Transmis- sion	Model No.		R5M21	R5M21	R5M21	R5M21
	Type		5-speed manual	5-speed manual	5-speed manual	5-speed manual
Fuel system	Fuel supply system		MPI	Fuel injection	Fuel injection	Fuel injection



00V0018

<2WD Double cab, Club cab>


Items			K64T CENDL6	K62T JERDEL6	K64T JENDL6	K64T ZNDL6
Vehicle dimensions mm	Overall length	1	5,050	4,935	4,935	4,775
	Overall width	2	1,695	1,695	1,695	1,695
	Overall height (unladen)	3	1,605	1,610	1,610	1,625
	Wheelbase	4	2,950	2,950	2,950	2,950
	Track-front	5	1,450	1,450	1,450	1,450
	Track-rear	6	1,435	1,435	1,435	1,435
	Overhang-front	7	775	775	775	775
	Overhang-rear	8	1,325	1,210	1,210	1,210
	Ground clearance (unladen)	9	190	190	190	190
	Cargo area length	10	1,830	1,500	1,500	–
	Cargo area width	11	1,470	1,470	1,470	–
	Cargo bed height	12	695	680	680	–
Vehicle weight kg	Kerb weight		1,440	1,435	1,465	1,335
	Max. gross vehicle weight rating		2,570	2,520	2,570	2,570
	Max. axle weight rating-front		1,000	1,000	1,000	1,000
	Max. axle weight rating-rear		1,700	1,700	1,700	1,700
	Max. trailer weight	With brake	1,500	1,500	1,500	1,500
		Without brake	500	500	500	500
	Max. trailer-nose weight		75	75	75	75
Seating capacity			4	5	5	5
Engine	Model No.		4D56	4G63	4D56	4D56
	Total displacement ml		2,477	1,997	2,477	2,477
Transmis- sion	Model No.		R5M21	R4AW2	R5M21	R5M21
	Type		5-speed manual	4-speed automatic	5-speed manual	5-speed manual
Fuel system	Fuel supply system		Fuel injection	MPI	Fuel injection	Fuel injection



00V0028

<4WD Single cab, Club cab>

Items			K74T YNDFL6	K74T ENDFR6	K75T CENDEL6	K74T CENDFL6
Vehicle dimensions mm	Overall length	1	4,810	4,935	5,050	5,050
	Overall width	2	1,695	1,695	1,695	1,695
	Overall height (unladen)	3	1,755	1,755	1,775	1,775
	Wheelbase	4	2,960	2,960	2,960	2,960
	Track-front	5	1,420	1,420	1,420	1,420
	Track-rear	6	1,435	1,435	1,435	1,435
	Overhang-front	7	765	765	765	765
	Overhang-rear	8	1,210	1,210	1,325	1,325
	Ground clearance (unladen)	9	215	215	215	215
	Cargo area length	10	–	2,245	1,830	1,830
	Cargo area width	11	–	1,470	1,470	1,470
	Cargo bed height	12	–	860	875	875
Vehicle weight kg	Kerb weight		1,500	1,630	1,615	1,705
	Max. gross vehicle weight rating		2,830	2,830	2,720	2,830
	Max. axle weight rating-front		1,200	1,200	1,200	1,200
	Max. axle weight rating-rear		1,800	1,800	1,800	1,800
	Max. trailer weight	With brake	2,200	2,200	2,200	2,200
		Without brake	500	500	500	500
	Max. trailer-nose weight		100	100	100	100
Seating capacity			2	2	4	4
Engine	Model No.		4D56	4D56	4G64	4D56
	Total displacement ml		2,477	2,477	2,351	2,477
Transmis- sion	Model No.		V5MT1	V5MT1	V5M21	V5MT1
	Type		5-speed manual	5-speed manual	5-speed manual	5-speed manual
Fuel system	Fuel supply system		Fuel injection	Fuel injection	MPI	Fuel injection



00V0030

<4WD Double cab>

Items			K74T JENDFL6	K74T ZNDFL6	K74T JERDFL6	K74T JENHFL6	K74T GJENXFL6	
Vehicle dimen- sions mm	Overall length		1	4,935	4,810	4,935	4,935	4,935
	Overall width		2	1,695	1,695	1,695	1,695	1,775
	Overall height (unladen)		3	1,780	1,795	1,780	1,780	1,800
	Wheelbase		4	2,960	2,960	2,960	2,960	2,960
	Track-front		5	1,420	1,420	1,420	1,420	1,465
	Track-rear		6	1,435	1,435	1,435	1,435	1,480
	Overhang-front		7	765	765	765	765	765
	Overhang-rear		8	1,210	1,210	1,210	1,210	1,210
	Ground clearance (unladen)		9	215	215	215	215	235
	Cargo area length		10	1,500	–	1,500	1,500	1,500
	Cargo area width		11	1,470	–	1,470	1,470	1,470
	Cargo bed height		12	860	–	860	860	880
Vehicle weight kg	Kerb weight		1,730		1,600	1,735	1,735	1,750
	Max. gross vehicle weight rating		2,830		2,830	2,830	2,830	2,830
	Max. axle weight rating-front		1,200		1,200	1,200	1,200	1,200
	Max. axle weight rating-rear		1,800		1,800	1,800	1,800	1,750
	Max. trailer weight	With brake	2,200		2,200	2,200	2,200	2,200
		Without brake	500		500	500	500	500
	Max. trailer-nose weight		100		100	100	100	100
Seating capacity			5		5	5	5	5
Engine	Model No.		4D56		4D56	4D56	4D56	4D56
	Total displacement ml		2,477		2,477	2,477	2,477	2,477
Trans- mission	Model No.		V5MT1		V5MT1	V4AW2	V5MT1	V5MT1
	Type		5-speed manual		5-speed manual	4-speed automatic	5-speed manual	5-speed manual
Fuel system	Fuel supply system		Fuel injection		Fuel injection	Fuel injection	Fuel injection	Fuel injection