


GROUP 00 GENERAL

VEHICLE IDENTIFICATION


MODELS

Model Code		Engine model	Transmission model	Fuel supply system
K62T	JERDEL6	4G63-SOHC (1,997 mℓ)	R4AW2 (2WD-4A/T)	MPI
	ENDEL6		R5M21 (2WD-5M/T)	
K64T	ENDL6	4D56 (2,477mℓ)	R5M21 (2WD-5M/T)	Fuel injection
	ENDR6			
	CENDL6			
	JENDL6			
K75T	CENDEL6	4G64-SOHC (2,351 mℓ)	V5M21 (4WD-5M/T)	MPI
K74T	ENDFL6	4D56-Turbocharger with intercooler (2,477 mℓ)	V5MT1 (4WD-5M/T)	Fuel injection
	ENDFR6		V4AW2 (4WD-4A/T)	
	JERDFL6			
	GJENXFL6		V5MT1(4WD-5M/T)	
	GJENXFR6			
	CENDFL6			
	JENDFL6			
	JENDFR6			
	JENHFL6			




CHASSIS NUMBER

The chassis number is stamped on the side wall of the frame near the rear wheel (R.H.).



No.	Items		Contents
1	Continent	M	ASIA
2	Country	M	THAILAND
3	Register code	B	Follow register
4	Body shape	C	Club cab
		J	Double cab
		O	Single cab
		Y	Single cab without rear body
		Z	Double cab without rear body
5	Transmission type	N	5-speed manual transmission
		R	4-speed automatic transmission
6	Vehicle line	K	Mitsubishi L200
7	Body type	6	Long wheelbase
		7	4WD, Long wheelbase
8	Engine type	2	4G63: 1,997 ml petrol engine
		4	4D56: 2,477 ml diesel engine
		5	4G64: 2,351 ml petrol engine
9	Internal production control code	A	A, B, C... etc. 0 (zero): No meaning
10	Model year	X	1999
11	Plant	A	A, C: LARDKRABANG factory D, F: LAEMCHABANG factory
12	Serial number	—	—


MAJOR SPECIFICATIONS



P01A038

<2WD Single cab>


Items			K62T ENDEL6	K64T ENDL6	K64T ENDR6
Vehicle dimensions mm	Overall length	1	4,935	4,935	4,935
	Overall width	2	1,695	1,695	1,695
	Overall height (unladen)	3	1,585	1,585	1,585
	Wheelbase	4	2,950	2,950	2,950
	Track-front	5	1,450	1,450	1,450
	Track-rear	6	1,435	1,435	1,435
	Overhang-front	7	775	775	775
	Overhang-rear	8	1,210	1,210	1,210
	Ground clearance (unladen)	9	190	190	190
	Cargo area length	10	2,245	2,245	2,245
	Cargo area width	11	1,470	1,470	1,470
	Cargo bed height	12	680	680	680
Vehicle weight kg	Kerb weight		1,320	1,370	1,370
	Max. gross vehicle weight rating		2,520	2,570	2,570
	Max. axle weight rating-front		1,000	1,000	1,000
	Max. axle weight rating-rear		1,700	1,700	1,700
	Max. trailer weight	With brake	1,800	1,800	1,800
		Without brake	500	500	500
	Max. trailer-nose weight		75	75	75
Seating capacity			3	2	2
Engine	Model No.		4G63	4D56	4D56
	Total displacement ml		1,997	2,477	2,477
Transmis- sion	Model No.		R5M21	R5M21	R5M21
	Type		5-speed manual	5-speed manual	5-speed manual
Fuel system	Fuel supply system		MPI	Fuel injection	Fuel injection



00V0018

<2WD Double cab, Club cab>


Item			K64T CENDL6	K62T JERDEL6	K64T JENDL6
Vehicle dimensions mm	Overall length	1	5,050	4,935	4,935
	Overall width	2	1,695	1,695	1,695
	Overall height (unladen)	3	1,605	1,610	1,610
	Wheelbase	4	2,950	2,950	2,950
	Track-front	5	1,450	1,450	1,450
	Track-rear	6	1,435	1,435	1,435
	Overhang-front	7	775	775	775
	Overhang-rear	8	1,325	1,210	1,210
	Ground clearance (unladen)	9	190	190	190
	Cargo area length	10	1,830	1,500	1,500
	Cargo area width	11	1,470	1,470	1,470
	Cargo bed height	12	695	680	680
Vehicle weight kg	Kerb weight		1,445	1,440	1,470
	Max. gross vehicle weight rating		2,570	2,520	2,570
	Max. axle weight rating-front		1,000	1,000	1,000
	Max. axle weight rating-rear		1,700	1,700	1,700
	Max. trailer weight	With brake	1,800	1,800	1,800
		Without brake	500	500	500
Max. trailer-nose weight		75	75	75	
Seating capacity			4	5	5
Engine	Model No.		4D56	4G63	4D56
	Total displacement ml		2,477	1,997	2,477
Transmis- sion	Model No.		R5M21	R4AW2	R5M21
	Type		5-speed manual	4-speed automatic	5-speed manual
Fuel system	Fuel supply system		Fuel injection	MPI	Fuel injection



00V0028

<4WD Single cab, Club cab>


Items			K74T ENDFL6	K74T ENDFR6	K75T CENDEL6	K74T CENDFL6
Vehicle dimensions mm	Overall length	1	4,810	4,935	5,050	5,050
	Overall width	2	1,695	1,695	1,695	1,695
	Overall height (unladen)	3	1,755	1,755	1,775	1,775
	Wheelbase	4	2,960	2,960	2,960	2,960
	Track-front	5	1,420	1,420	1,420	1,420
	Track-rear	6	1,435	1,435	1,435	1,435
	Overhang-front	7	765	765	765	765
	Overhang-rear	8	1,210	1,210	1,325	1,325
	Ground clearance (unladen)	9	215	215	215	215
	Cargo area length	10	2,245	2,245	1,830	1,830
	Cargo area width	11	1,470	1,470	1,470	1,470
	Cargo bed height	12	860	860	875	875
Vehicle weight kg	Kerb weight		1,630	1,630	1,615	1,705
	Max. gross vehicle weight rating		2,830	2,830	2,720	2,830
	Max. axle weight rating-front		1,200	1,200	1,200	1,200
	Max. axle weight rating-rear		1,800	1,800	1,800	1,800
	Max. trailer weight	With brake	2,700	2,700	2,700	2,700
		Without brake	500	500	500	500
	Max. trailer-nose weight		100	100	100	100
Seating capacity			3	2	4	4
Engine	Model No.		4D56	4D56	4G64	4D56
	Total displacement ml		2,477	2,477	2,351	2,477
Transmis- sion	Model No.		V5MT1	V5MT1	V5M21	V5MT1
	Type		5-speed manual	5-speed manual	5-speed manual	5-speed manual
Fuel system	Fuel supply system		Fuel injection	Fuel injection	MPI	Fuel injection



00V0030

<4WD Double cab>

Items			K74T JENDFL6	K74T JENDFR6	K74T JERDFL6	K74T JENHFL6
Vehicle dimen- sions mm	Overall length	1	4,935	4,935	4,935	4,935
	Overall width	2	1,695	1,695	1,695	1,695
	Overall height (unladen)	3	1,780	1,780	1,780	1,780
	Wheelbase	4	2,960	2,960	2,960	2,960
	Track-front	5	1,420	1,420	1,420	1,420
	Track-rear	6	1,435	1,435	1,435	1,435
	Overhang-front	7	765	765	765	765
	Overhang-rear	8	1,210	1,210	1,210	1,210
	Ground clearance (unladen)	9	215	215	215	215
	Cargo area length	10	1,500	1,500	1,500	1,500
	Cargo area width	11	1,470	1,470	1,470	1,470
	Cargo bed height	12	860	860	860	860
Vehicle weight kg	Kerb weight		1,730	1,730	1,735	1,735
	Max. gross vehicle weight rating		2,830	2,830	2,830	2,830
	Max. axle weight rating-front		1,200	1,200	1,200	1,200
	Max. axle weight rating-rear		1,800	1,800	1,800	1,800
	Max. trailer weight	With brake	2,700	2,700	2,200	2,700
		Without brake	500	500	500	500
	Max. trailer-nose weight		100	100	100	100
Seating capacity			5	5	5	5
Engine	Model No.		4D56	4D56	4D56	4D56
	Total displacement ml		2,477	2,477	2,477	2,477
Trans- mission	Model No.		V5MT1	V5MT1	V4AW2	V5MT1
	Type		5-speed manual	5-speed manual	4-speed automatic	5-speed manual
Fuel system	Fuel supply system		Fuel injection	Fuel injection	Fuel injection	Fuel injection



00V0030

<4WD Double cab>

Items			K74T GJENXFL6	K74T GJENXFR6
Vehicle dimen- sions mm	Overall length	1	4,935	4,935
	Overall width	2	1,775	1,775
	Overall height (unladen)	3	1,800	1,800
	Wheelbase	4	2,960	2,960
	Track-front	5	1,465	1,465
	Track-rear	6	1,480	1,480
	Overhang-front	7	765	765
	Overhang-rear	8	1,210	1,210
	Ground clearance (unladen)	9	235	235
	Cargo area length	10	1,500	1,500
	Cargo area width	11	1,470	1,470
	Cargo bed height	12	880	880
Vehicle weight kg	Kerb weight		1,750	1,750
	Max. gross vehicle weight rating		2,830	2,830
	Max. axle weight rating-front		1,200	1,200
	Max. axle weight rating-rear		1,750	1,750
	Max. trailer weight	With brake	2,700	2,700
		Without brake	500	500
	Max. trailer-nose weight		100	100
Seating capacity			5	5
Engine	Model No.		4D56	4D56
	Total displacement ml		2,477	2,477
Trans- mission	Model No.		V5MT1	V5MT1
	Type		5-speed manual	5-speed manual
Fuel system	Fuel supply system		Fuel injection	Fuel injection