

GROUP 00 GENERAL


VEHICLE IDENTIFICATION

MODELS

Model Code		Engine model	Transmission model	Fuel supply system
K62T	JERDEL6	4G63-SOHC (1,997 mℓ)	R4AW2 (2WD-4A/T)	MPI
	ENDEL6		R5M21 (2WD-5M/T)	
K64T	ENDL6	4D56 (2,477mℓ)	R5M21 (2WD-5M/T)	Fuel injection
	ENDR6			
	CENDL6			
	JENDL6			
K75T	CENDEL6	4G64-SOHC (2,351 mℓ)	V5M21 (4WD-5M/T)	MPI
	GJENXEL6*			
K74T	ENDFL6	4D56-Turbocharger with intercooler (2,477 mℓ)	V5MT1 (4WD-5M/T)	Fuel injection
	ENDFR6			
	JERDFL6		V4AW2 (4WD-4A/T)	
	GJERXFL6*		V5MT1(4WD-5M/T)	
	GJENXFL6			
	GJENXFR6			
	CENDFL6			
	GCENXFL6*			
	JENDFL6			
	JENDFR6			
	JENHFL6			


NOTE

*: indicates new models.




CHASSIS NUMBER

The chassis number is stamped on the side wall of the frame near the rear wheel (R.H.).



No.	Items	Contents
1	Continent	M ASIA
2	Country	M THAILAND
3	Register code	B Follow register
4	Body shape	C Club cab J Double cab O Single cab Y Single cab without rear body Z Double cab without rear body
5	Transmission type	N 5-speed manual transmission R 4-speed automatic transmission
6	Vehicle line	K Mitsubishi L200
7	Body type	6 Long wheelbase 7 4WD, Long wheelbase
8	Engine type	2 4G63: 1,997 ml petrol engine 4 4D56: 2,477 ml diesel engine 5 4G64: 2,351 ml petrol engine
9	Internal production control code	A A, B, C... etc. 0 (zero): No meaning
10	Model year	Y 2000
11	Plant	A, C: LARDKRABANG factory D, F: LAEMCHABANG factory
12	Serial number	–


MAJOR SPECIFICATIONS



P01A038

<2WD Single cab>


Items			K62T ENDEL6	K64T ENDL6	K64T ENDR6
Vehicle dimensions mm	Overall length		1	4,935	4,935
	Overall width		2	1,695	1,695
	Overall height (unladen)		3	1,585	1,585
	Wheelbase		4	2,950	2,950
	Track-front		5	1,450	1,450
	Track-rear		6	1,435	1,435
	Overhang-front		7	775	775
	Overhang-rear		8	1,210	1,210
	Ground clearance (unladen)		9	190	190
	Cargo area length		10	2,245	2,245
	Cargo area width		11	1,470	1,470
	Cargo bed height		12	680	680
Vehicle weight kg	Kerb weight		1,320	1,370	1,370
	Max. gross vehicle weight rating		2,520	2,570	2,570
	Max. axle weight rating-front		1,000	1,000	1,000
	Max. axle weight rating-rear		1,700	1,700	1,700
	Max. trailer weight	With brake	1,800	1,800	1,800
		Without brake	500	500	500
Max. trailer-nose weight		75	75	75	
Seating capacity			3	2	2
Engine	Model No.		4G63	4D56	4D56
	Total displacement ml		1,997	2,477	2,477
Transmis- sion	Model No.		R5M21	R5M21	R5M21
	Type		5-speed manual	5-speed manual	5-speed manual
Fuel system	Fuel supply system		MPI	Fuel injection	Fuel injection



00V0018

<2WD Double cab, Club cab>

Items			K64T CENDL6	K62T JERDEL6	K64T JENDL6
Vehicle dimensions mm	Overall length	1	5,050	4,935	4,935
	Overall width	2	1,695	1,695	1,695
	Overall height (unladen)	3	1,605	1,610	1,610
	Wheelbase	4	2,950	2,950	2,950
	Track-front	5	1,450	1,450	1,450
	Track-rear	6	1,435	1,435	1,435
	Overhang-front	7	775	775	775
	Overhang-rear	8	1,325	1,210	1,210
	Ground clearance (unladen)	9	190	190	190
	Cargo area length	10	1,830	1,500	1,500
	Cargo area width	11	1,470	1,470	1,470
	Cargo bed height	12	695	680	680
Vehicle weight kg	Kerb weight		1,440	1,435	1,465
	Max. gross vehicle weight rating		2,570	2,520	2,570
	Max. axle weight rating-front		1,000	1,000	1,000
	Max. axle weight rating-rear		1,700	1,700	1,700
	Max. trailer weight	With brake	1,800	1,800	1,800
		Without brake	500	500	500
Max. trailer-nose weight		75	75	75	
Seating capacity			4	5	5
Engine	Model No.		4D56	4G63	4D56
	Total displacement mℓ		2,477	1,997	2,477
Transmis- sion	Model No.		R5M21	R4AW2	R5M21
	Type		5-speed manual	4-speed automatic	5-speed manual
Fuel system	Fuel supply system		Fuel injection	MPI	Fuel injection




00V0028

<4WD Single cab, Club cab>

Items			K74T ENDFL6	K74T ENDFR6	K75T CENDEL6	K74T CENDFL6	K74T GCENXFL6
Vehicle dimensions mm	Overall length	1	4,935	4,935	5,050	5,050	5,050
	Overall width	2	1,695	1,695	1,695	1,695	1,775
	Overall height (unladen)	3	1,755	1,755	1,775	1,775	1,795
	Wheelbase	4	2,960	2,960	2,960	2,960	2,960
	Track-front	5	1,420	1,420	1,420	1,420	1,465
	Track-rear	6	1,435	1,435	1,435	1,435	1,480
	Overhang-front	7	765	765	765	765	765
	Overhang-rear	8	1,210	1,210	1,325	1,325	1,325
	Ground clearance (unladen)	9	215	215	215	215	235
	Cargo area length	10	2,245	2,245	1,830	1,830	1,830
	Cargo area width	11	1,470	1,470	1,470	1,470	1,470
	Cargo bed height	12	860	860	875	875	895
Vehicle weight kg	Kerb weight		1,630	1,630	1,615	1,705	1,725
	Max. gross vehicle weight rating		2,830	2,830	2,720	2,830	2,830
	Max. axle weight rating-front		1,200	1,200	1,200	1,200	1,200
	Max. axle weight rating-rear		1,800	1,800	1,800	1,800	1,750
	Max. trailer weight	With brake	2,700	2,700	2,700	2,700	2,700
		Without brake	500	500	500	500	500
	Max. trailer-nose weight		100	100	100	100	100
Seating capacity			2	2	4	4	4
Engine	Model No.		4D56*	4D56*	4G64	4D56*	4D56*
	Total displacement ml		2,477	2,477	2,351	2,477	2,477
Transmis- sion	Model No.		V5MT1	V5MT1	V5M21	V5MT1	V5MT1
	Type		5-speed manual	5-speed manual	5-speed manual	5-speed manual	5-speed manual
Fuel system	Fuel supply system		Fuel injection	Fuel injection	MPI	Fuel injection	Fuel injection

NOTE

*: Turbocharger with intercooler




<4WD Double cab>

Items			K74T JENDFL6	K74T JENDRF6	K74T JERDFL6	K74T JENHFL6
Vehicle dimen- sions mm	Overall length		1	4,935	4,935	4,935
	Overall width		2	1,695	1,695	1,695
	Overall height (unladen)		3	1,780	1,780	1,780
	Wheelbase		4	2,960	2,960	2,960
	Track-front		5	1,420	1,420	1,420
	Track-rear		6	1,435	1,435	1,435
	Overhang-front		7	765	765	765
	Overhang-rear		8	1,210	1,210	1,210
	Ground clearance (unladen)		9	215	215	215
	Cargo area length		10	1,500	1,500	1,500
	Cargo area width		11	1,470	1,470	1,470
	Cargo bed height		12	860	860	860
Vehicle weight kg	Kerb weight		1,730	1,730	1,735	1,735
	Max. gross vehicle weight rating		2,830	2,830	2,830	2,830
	Max. axle weight rating-front		1,200	1,200	1,200	1,200
	Max. axle weight rating-rear		1,800	1,800	1,800	1,800
	Max. trailer weight	With brake	2,700	2,700	2,200	2,700
		Without brake	500	500	500	500
	Max. trailer-nose weight		100	100	100	100
Seating capacity			5	5	5	5
Engine	Model No.		4D56*	4D56*	4D56*	4D56*
	Total displacement ml		2,477	2,477	2,477	2,477
Trans- mission	Model No.		V5MT1	V5MT1	V4AW2	V5MT1
	Type		5-speed manual	5-speed manual	4-speed automatic	5-speed manual
Fuel system	Fuel supply system		Fuel injection	Fuel injection	Fuel injection	Fuel injection

NOTE

*: Turbocharger with intercooler



<4WD Double cab>

Items			K75T GJENXEL6	K74T GJENXFL6	K74T GJENXFR6	K74T GJERXFL6
Vehicle dimen- sions mm	Overall length	1	4,935	4,935	4,935	4,935
	Overall width	2	1,775	1,775	1,775	1,775
	Overall height (unladen)	3	1,800	1,800	1,800	1,800
	Wheelbase	4	2,960	2,960	2,960	2,960
	Track-front	5	1,465	1,465	1,465	1,465
	Track-rear	6	1,480	1,480	1,480	1,480
	Overhang-front	7	765	765	765	765
	Overhang-rear	8	1,210	1,210	1,210	1,210
	Ground clearance (unladen)	9	235	235	235	235
	Cargo area length	10	1,500	1,500	1,500	1,500
	Cargo area width	11	1,470	1,470	1,470	1,470
	Cargo bed height	12	880	880	880	880
Vehicle weight kg	Kerb weight		1,660	1,750	1,750	1,755
	Max. gross vehicle weight rating		2,720	2,830	2,830	2,830
	Max. axle weight rating-front		1,200	1,200	1,200	1,200
	Max. axle weight rating-rear		1,750	1,750	1,750	1,750
	Max. trailer weight	With brake	2,700	2,700	2,700	2,200
		Without brake	500	500	500	500
Max. trailer-nose weight		100	100	100	100	
Seating capacity			5	5	5	5
Engine	Model No.		4G64	4D56*	4D56*	4D56*
	Total displacement ml		2,351	2,477	2,477	2,477
Trans- mission	Model No.		V5M21	V5MT1	V5MT1	V4AW2
	Type		5-speed manual	5-speed manual	5-speed manual	4-speed manual
Fuel system	Fuel supply system		MPI	Fuel injection	Fuel injection	Fuel injection

NOTE

*: Turbocharger with intercooler