



2013 Audi A5 | S5 | RS 5

Quick Reference Guide

Vorsprung durch Technik **Audi** 

This Quick Reference Guide provides you with a brief overview of selected procedures and functions in your vehicle. It does not replace the Owner's Manual with its important explanations and warnings.

Cockpit

- 1 Hood release
- 2 Data Link Connector for On Board Diagnostics (OBD II)
- 3 Release button for luggage compartment
- 4 Power windows

WARNING

Be careful when closing the windows. Check to see that no one is in the way, or serious personal injury could result.


5 Adjusting the exterior mirrors


Adjust the knob:

-  Left exterior mirror
-  Heating the exterior mirror
-  Right exterior mirror

The mirror glass moves in the direction that the knob is pressed

- 6 Memory seat buttons
- 7 Door handle and central locking switch
 -  locked
 -  unlocked
- 8 Audi side assist
- 9 Light switch and Instrument lighting





10 Steering wheel position adjuster

⚠ WARNING

The column should only be adjusted when the vehicle is at a complete standstill.

11 Cruise control or adaptive cruise control

12 Turn signal and high beam lever

13 Multifunction steering wheel controls

14 Instruments and indicator lights

15 Windshield wiper controls and trip computer buttons

16 Ignition lock

17 Sound system/MMI display

18 Emergency flashers PASSENGER AIR BAG OFF indicator light

19 Radio or MMI drives

20 Audi drive select

Electronic Stabilization Control (ESC)

Sun shade

On vehicles equipped with a sound system, buttons 20 are located on the shift gate.

21 Climate control


22 Selector lever with automatic transmission or shift lever

23 Electromechanical parking brake

24 START ENGINE STOP button

25 MMI control console

MMI Functions



Driver assistance systems

Use the button **CAR** to adjust or operate many driver assistance systems in your Audi.

For detailed information on this, please see your vehicle Owner's Manual.

Pairing Cell Phone to Bluetooth™ System

Depending on your cell phone you can pair your phone using **Secure Simple Pairing** or **standard pairing**.

Simple Secure Pairing (SSP)

- Vehicle must be stationary with ignition on. Bluetooth system will be visible for 5 minutes.
- Press the **TEL** function button on the MMI.
- Select the “Search for new cell phone” menu item and confirm.
- Select your Bluetooth cell phone in the display and confirm.
- Select the “Handsfree” menu item and confirm your selection.
- Select “Yes” to confirm the 6 digit PIN matching the cell phone display.
- Select PAIR on the phone to complete pairing.

Standard pairing

- Follow steps 1-5 from above.
- Select “Yes” to confirm the 4-digit PIN.
- Enter the same 4-digit PIN into your cell phone.
- Select PAIR on the phone to complete pairing.

Various phones required that a confirmation be accepted for automatic future connections between the phone and MMI system as well as acknowledging the synchronization of the address book between the phone and MMI.

Advanced key

Opening and closing the vehicle

With advanced key, you can lock and unlock your vehicle without using the remote control key. You only need to carry the remote control key with you.

Unlocking the vehicle:

Grasp one of the door handles or the handle recess on the luggage compartment lid.

Locking the vehicle:

Place the selector lever in the P position. Touch the sensor **1** on one of the door handles.

Opening the luggage compartment lid:

Press the  button on the remote control key or pull the  release button inside of the driver's door.

Closing the luggage compartment lid:

Pull the rear lid down at the grip on the inside and allow it to drop gently to close it.



WARNING

When you lock your vehicle from the outside, do not leave anyone - especially children - inside the vehicle. Remember, when you lock the vehicle from the outside the windows cannot be opened from the inside.

WARNING

Always ensure that no one is within range of the rear lid when it is moving, in particular close to the hinges - fingers or hands can be pinched.

WARNING

When you leave the vehicle, always remove the ignition key and take it with you. This will prevent passengers (children, for example) from accidentally being locked in the vehicle should they accidentally press the power locking switch in the front doors.

Starting the engine

Advanced key:

You can switch on the ignition and start/stop the engine using the START ENGINE STOP button without having the key inserted in the ignition lock.

Switching the ignition on and off:

Insert the key into the ignition lock.

Manual transmission: Do **not** depress the clutch.

Press on the key.

Automatic transmission: Do **not** depress the brake pedal.

Press on the key.

The key can only be removed when the ignition is switched off.

Starting the engine:

Insert the key into the ignition lock.

Manual transmission: Depress the clutch and engage Neutral.


Automatic transmission: Depress the brake pedal and move the selector lever into P or N.

Briefly press on the key.

Stopping the engine when the vehicle is standing:

Automatic transmission: Move the selector lever into P or N.

Briefly press on the key.



Automatic transmission

Selector lever positions

P Park

R Reverse

N Neutral (Idle)


D/S Drive/Sport

Releasing the selector lever lock and engaging a gear: Switch the ignition on, press the brake pedal and press the lock button on the selector lever. Place the selector lever in the

D/S position to drive forward. When switching from D to S or from S to D, you must move the selector lever back briefly.

tiptronic: To shift manually, move the selector lever to the right out of the D/S position. The driver information system displays the gears.

Shifting up/down: Press the selector lever forward/back.



Adjusting the seats

- 1 Upper thigh support
- 2 Adjusting the lumbar support:
Press on the respective area of the switch.
- 3 Adjusting seat height and forward/back position:
 - Front of the seat cushion up/down
 - Back of the seat cushion up/down
 - Seat up/down
 - Seat forward/back
- 4 Adjusting the backrest/headrest:
 - Backrest forward/back
 - Head restraint up/down
- 5 Entry assistance:
Pull the lever up and tilt the backrest forward or back.



Adjusting the headrests

Adjust the head restraint so the upper edge is as even as possible with the top of your head.



⚠ WARNING

Thoroughly review your Owner's Manual for warnings and other important information about proper restraint use and what you can do to reduce the risk of injury in accidents. Failure to properly use restraint systems can cause serious personal injury.

⚠ WARNING

Never install rear facing child seats or infant carriers on the passenger seat. A child will be seriously injured or killed when the passenger airbag inflates.

⚠ WARNING

Always fasten safety belts before driving off. Always make sure passengers are properly restrained. Children 12 years old and younger must ride in the rear seat and be properly restrained as indicated in the Owner's Manual. The airbag is supplemental and does not replace safety belt use.

⚠ WARNING

Front seat passengers must never ride in a moving vehicle with the seatback reclined. The risk of personal injury increases with increasing rearward angle of the seatback. Safety belts only offer protection when the seatback is upright and belts are properly positioned on the body. Adjust your seats only when the vehicle is at a complete standstill.

⚠ WARNING

The airbag system cannot protect you properly if you are seated too close to any of the airbag locations. When adjusting their seat positions, it is important that both the driver and front passenger keep their upper bodies at a minimum safe distance of 10 inches (25 cm) between the chest and the steering wheel/instrument panel.



Electromechanical parking brake

Stopping and engaging the parking brake:
Pull the (P) button.

Releasing the parking brake:
Press the brake pedal and press the (P) button.

Releasing automatically:
The parking brake releases itself automatically when the safety belt is fastened and you begin driving.

Audi adaptive cruise control

The adaptive cruise control is a combined cruise control and distance regulation system.

Switching on/off: Pull/press the lever 3.

Storing the speed: Press the button 1.

Changing the stored speed: Press the lever 3 up (faster) or down (slower).

Increasing/decreasing the distance: Slide the switch 2 to the right/left.



WARNING

Improper use of the adaptive cruise control can cause collisions, other accidents and serious personal injury. Always read and heed the Warnings in the Owner's Manual.

Fuel cap

Tighten fuel cap clockwise as far as it will go. The Malfunction Indicator Light will illuminate, if your fuel cap is not properly sealed. The label on the inside of the fuel filler door indicates the correct fuel type.




Fuel filler door

Opening: Unlocking the vehicle and press the left side of the fuel filler door.
Closing: Press the fuel filler door in until it latches.



Engine oil

For the applicable oil specifications, refer to the Owner's Manual.



Tire pressure monitoring system

The TPMS must be reset via Radio/MMI if the tire pressure is adjusted or wheels are changed.



Tire pressures

The label with the correct tire pressures is located on the driver's door pillar.

Multi Media Interface/ Sound system

Components

1 Driver information system

2 Multifunction steering wheel

Roll the **left thumbwheel** to select a menu item. Press the thumbwheel to confirm the selection.

Press the **MODE button** to switch between the active radio source, navigation system and telephone.

Press the **voice recognition button** briefly to activate the voice recognition system. After the <Beep>, you can say the desired commands.

To deactivate, press and hold the **voice recognition button** until you hear the message <Cancel>.

Press the **NAV button** to repeat the last navigation announcement.

Roll the **right thumbwheel** to adjust the volume. Press the thumbwheel to mute the MMI.

3 Sound system/MMI display

4 On/Off button

Switching on/off: Press briefly/press and hold.

Adjusting the volume: Turn.

Mute: Press briefly.

Select previous/next radio station, track:

Press right/left briefly (MMI only).

Fast forward/rewind:

Press and hold right/left (MMI only).





⚠ WARNING

Distraction causes accidents:

- Never enter data while driving!
- Obey traffic laws & road signs!
- Refer to the Owner's Manual!

5 Function buttons

Call up main functions such as **MEDIA**.

6 Control knob

To select a menu item: Turn the knob.

To confirm your selection: Press the knob.

7 Control buttons

Activate the functions currently shown in the corners of the MMI display.

8 Button **RETURN** or **BACK**


Cancel the selection/go back to the function above.

9 Joystick

To move the crosshairs in a map view (navigation) or to control the DVD menu.

Operating concept

All functions are controlled using the same operating concept.




A Selecting: Turn the knob.

B Confirming: Press the knob.

C Calling up menus in the display corners: Press the appropriate button.

Placing a Phone call



Dialing a phone number from a call list:

- Press the **TEL** function button.
- Turn the control knob to select "Dialed numbers", "Missed calls" or "Received calls" and press to confirm. The phone numbers from the selected list appear in the MMI display.
- Turn the control knob to select the desired number and press to confirm or press the "Dial" control button.



Accessing directory contacts:

- Press the **TEL** function button.
- Turn the control knob to select "Directory" and press to confirm.
- Turn the control knob to select the desired contact and press to confirm.
- Turn the control knob to select the desired number and press to confirm or press the "Call" control button.

Setting the clock




Select in the MMI: **MENU** function button > **Time** control button > **Time source** > **manual** or **GPS**.

Manual: All menu items displayed are set manually.

GPS: Time and date are set by GPS depending on the manually selected Time zone. Therefore, when traveling into another time zone you must manually update the time zone in order for the time clock to update to the correct time.

Voice recognition system



You can operate many MMI functions comfortably using voice commands.

Requirement: Switch the ignition and MMI on, do not use the A/C system, do not have any phone calls in progress, deactivate the parking system.

Switching the system on: Press the  button on the multifunction steering wheel briefly. Say your command (refer to the examples) after the <Beep>. The system gives visual and audio confirmation of your input.

Switching the system off: Press and hold the  button or say <Cancel>.

Improve recognition function: Select the  function button > **Setup MMI** control button > **Voice recognition** > **Individual Speech Training**.

Sample commands

Accessing a directory contact: Say <Call (XY)>, for example, <Call "Max Mustermann">.

Displaying call lists: Say <Telephone> and then <Received calls>, <Dialed numbers> or <Missed calls>.

Direct "One shot" destination entry: Say <Enter destination> and then say the House Number, Street, City and State when prompted by the system. Then say <Start route guidance>.

Point of interest search: Say <Navigation>, <Enter point of interest> and then the desired search area, such as <In immediate vicinity>, <In vicinity of destination> or <Along the route>. Say the name or line number for the desired entry.

Direct point of interest selection: Say <Navigation> and then <Next gas station>, <Next parking lot>, <Next hotel>, <Next restaurant>, <Next airport>, <Next train station>, <Next hospital>, for example.


Accessing voice command help: Say <Help>, <Help Telephone>, <Help Navigation>, <Help Media>, etc.



- 1 Press the **NAV** function button.
- 2 Press the "Destination" control button.



- 3 Turn/press the control knob to select/confirm the "Address" menu.



- 4 Turn/press the control knob to select/confirm the "City/Zip code" menu item.



- 5 Turn the control knob to select the first letter of the destination.
- 6 Press the control knob to confirm. Enter the remaining letters of the destination using the same procedure until the desired location name is displayed.







- 7 Press/hold the control knob longer when the city appears in the list.
- 8 Turn/press to select the city and enter detailed destination information if necessary.



- 9 Select the menu item "Start route guidance".
- 10 Press the control knob to confirm. The route is calculated.

For additional information on indicator lights, refer to your vehicle Owner's Manual.

 Brake system (USA)	 Steering column lock	 Worn brake pads	 Tank system	 adaptive light	 Turn signals
 Brake system (CAN)	 Ignition lock	 Electromechanical parking brake	 Warm up engine	 Light-/rain sensor	 Cruise control (USA)
 Electromechanical parking brake (USA)	 Speed warning system (USA)	 Tire pressure monitoring system	 Windshield washer fluid level	 Adaptive dampers	 Cruise control (CAN)
 Electromechanical parking brake (CAN)	 Speed warning system (CAN)	 Tire pressure monitoring system	 Windshield wipers	 Sport differential	 Adaptive cruise control
 Safety belts	 Adaptive cruise control	 Electronic power control	 Remote control key	 Ignition lock	 Adaptive cruise control
 Electromechanical steering	 Electronic Stabilization Control (ESC)	 Malfunction indicator Lamp (MIL)	 Battery in remote control key	 Steering column lock	 High beam
 Battery	 Anti-lock braking system (ABS) defective (USA)	 Engine speed limitation	 Defective light bulb warning	 Electromechanical steering, dynamic steering	
 Engine oil pressure	 Anti-lock braking system (ABS) defective (CAN)	 Engine oil level	 Fog lights	 Rear spoiler (RS 5 only)	
 Engine oil level	 Safety systems (USA)	 Engine oil sensor	 Rear fog light(s)	 Transmission	
 Engine cooling system	 Safety systems (CAN)	 Battery	 Headlight range control	 Transmission	

Indicator lights

www.audi.com

**Audi A5 Coupe
Audi S5 Coupe
Audi RS 5 Coupe
Kurzanleitung
Nordamerika
Englisch 05.2012
132.562.8T0.21**



1325628T021

© 2012 AUDI AG

Audi is constantly improving their products. Modifications in form, equipment, and technology are possible. No legal commitment is implied by the information, illustrations, and descriptions in this Quick Reference Guide. Reprinting, reproduction or translation, in whole or in part, is not permitted without written permission from Audi of America, Inc. Reprinting, reproduction or translation, in whole or in part, is not permitted without written permission from Audi of America, Inc. Subject to modification without notice. Concept and design: Pfriemer GmbH.