

2004 Cadillac Escalade

2003-04 ENGINE COOLING Specifications & Drive Belt Routing - "C" & "K" Series

2003-04 ENGINE COOLING

Specifications & Drive Belt Routing - "C" & "K" Series

IDENTIFICATION

MODEL IDENTIFICATION

Series ⁽¹⁾	Model
"C"	2WD Avalanche, Escalade, Suburban, Tahoe, Yukon & Yukon XL
"K"	4WD Avalanche, Suburban, Tahoe, Yukon & AWD Escalade, Yukon Denali & Yukon XL Denali
(1) Vehicle series is fifth character of VIN.	

ADJUSTMENTS

CAUTION: When battery is disconnected, vehicle computer and memory systems may lose memory data. Driveability problems may exist until computer systems have completed a relearn cycle. See appropriate **COMPUTER RELEARN PROCEDURES** article in **GENERAL INFORMATION** before disconnecting battery.


BELT ADJUSTMENT

Application	Specification
Serpentine Belt	(1)
(1) Serpentine belt tension is maintained automatically by spring-tensioned idler pulleys. No adjustment is necessary.	

DRIVE BELT ROUTING

NOTE: For serpentine belt routing, see underhood label or refer to appropriate illustrations. See Fig. 1 -Fig. 3 .

4.8L, 5.3L & 6.0L




G00322171

Fig. 1: Serpentine Belt Routing (4.8L, 5.3L & 6.0L)
Courtesy of GENERAL MOTORS CORP.

2004 Cadillac Escalade

2003-04 ENGINE COOLING Specifications & Drive Belt Routing - "C" & "K" Series




G00310249

Fig. 2: A/C Belt Routing (4.8L, 5.3L, 6.0L & 8.1L)
Courtesy of GENERAL MOTORS CORP.

8.1L

NOTE: For air conditioning belt routing, see Fig. 2 .



G00322169

Fig. 3: Serpentine Belt Routing (8.1L)
Courtesy of GENERAL MOTORS CORP.

COOLING SYSTEM SPECIFICATIONS

NOTE: For engine cooling system specifications, see appropriate SPECIFICATIONS article in GENERAL INFORMATION.